





**CURBELL PLASTICS  
SIGN, DISPLAY, AND PRINT  
MATERIALS BUYERS GUIDE**




**CURBELL**  
PLASTICS

1.888.CURBELL  
[www.curbellplastics.com](http://www.curbellplastics.com)

# OUR PARTNERS

WE ARE ABLE TO PROVIDE SUPERIOR SERVICE AND QUALITY BECAUSE WE PARTNER WITH THE BEST MANUFACTURERS IN THE INDUSTRY



Bayer MaterialScience



PLASKOLITE, INC.



# CONTENTS

---

<b>AVAILABILITY CHARTS</b> .....	<b>2-17</b>
ABS .....	2
Acrylic .....	3-8
Expanded PVC .....	9
Fluted Polypropylene .....	10
Foam Boards .....	11
KYDEX® thermoplastic sheet .....	12
Mirror .....	13
PETG .....	14
Polycarbonate .....	15-16
Polystyrene (HIPS, high impact) .....	17
<b>EQUIVALENT CHART</b> .....	<b>18</b>
<b>BRAND CROSS REFERENCE</b> .....	<b>19</b>

For complete material properties visit our website: [curbellplastics.com/properties](http://curbellplastics.com/properties)



©2011 | Curbell Plastics, Inc. All trademarks and service marks are the property of the respective manufacturers. The statements and product information in this catalog including all descriptions, sizes, specifications, performances uses, applications and all other product information, are based upon information and product data supplied to Curbell Plastics, Inc. by the manufacturer or supplier of the products. Although the information and statements herein are believed to be accurate, no guarantee of their accuracy is made. The statements and information are included for reference purposes only and are not intended and should not be construed as either a warranty of any type or representations applicable to the particular application, use or design of the buyer or user of the goods. In every case, we recommend that the purchaser or user before using or buying any product perform their own tests and make their own decision to determine to their own satisfaction whether the product is of acceptable quality, type and design and is suitable for the particular purposes under their own operating conditions. Curbell Plastics, Inc. disclaims and the products described herein are sold without any warranty as to merchantability of fitness for any particular purpose or design whatsoever, or any other warranty, express or implied, oral or written. Any manufacturer warranty is simply passed through to the purchaser. Curbell Plastics Inc.'s responsibility and liability for any defective products are limited solely to the cost of the defective goods and any such claims must be filed within 60 days of the delivery of the product. In no event shall Curbell Plastics, Inc. be liable for any consequential, incidental, special or indirect damages or losses of buyers, arising out of purchases of products or the use or misuse of the products. No representative of Curbell Plastics, Inc. has the authority to waive or change the foregoing provisions. Curbell Plastics, Inc. makes no warranties to those defined in the Magnuson-Moss Warranty-Federal Trade Commission Improvement Act.

# ABS (acrylonitrile-butadiene-styrene)

## SHEET AVAILABILITY:



THICKNESS	BLACK HAIRCELL/SMOOTH	WHITE HAIRCELL/SMOOTH	GENERAL PURPOSE BLACK	GENERAL PURPOSE COLORS	ROYALITE® R 59 BLACK	ROYALITE® R 59 COLORS	ROYALITE® R 84/21 BLACK	ROYALITE® R 84/21 WHITE
0.031"			S	white lhc				
0.047"			S	white lhc				
0.056"	S							
0.062"			S	white smooth, white lhc, sand	S	white lhc, off-white	S	S
0.090"	S	S						
0.093"			S	white lhc, sand, red, light grey	S	white lhc, off-white, dark grey, beige	S	S
0.118"	S	S						
0.125"			S	white smooth, white lhc, sand, red, light grey	S	white lhc, off-white, dark grey, blue, beige, medium grey, dark brown	S	S
0.156"			S				S	S
0.177"	S	S						
0.187"			S	white lhc, red, light grey	S	white lhc, off-white, dark grey, blue, medium grey		
0.236"	S	S						
0.250"			S	white lhc	S	off-white, dark grey, beige		

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

Black and White Haircell/Smooth: 48"x96"

General Purpose, Royalite® R 59, Royalite® R 84/21: 54"x94"

General Purpose, Royalite® R 59, Royalite® R 84/21

*Standard Colors and Finishes: (Please see chart for individual color availability) 7018 Black LHC\*, 7014 White Smooth, 7014 White LHC, 1064 Sand LHC, 2018 Cardinal Red LHC, 8051 Light Grey LHC, 7016 Off-White LHC, 8220 Dark Grey LHC, 15275 Blue LHC, 1811 Beige LHC, 8374 Medium Grey LHC, 1771 Dark Brown*

\*Level Haircell Finish

Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

SHEET AVAILABILITY:



THICKNESS	CONTINUOUSLY PROCESSED, CLEAR (Film Mask)	CONTINUOUSLY PROCESSED, CLEAR (Reclingable Mask)	CONTINUOUSLY PROCESSED, CLEAR (Paper Mask)	CONTINUOUSLY PROCESSED, COLORS (Film Mask)	CONTINUOUSLY PROCESSED, COLORS (Reclingable Mask)	CONTINUOUSLY PROCESSED, COLORS (Paper Mask)
0.060"	S	S	S	•	•	•
0.080"	S	S	S	•	•	•
0.090"	S	S	S			
0.093"	S	S	S	•	•	•
0.098"	S	S	S	•	•	•
0.100"	S	S	S			
0.118"	S	S	S	S	•	S
0.125"	•					
0.150"	S	S	•			
0.157"	•					
0.177"	S	S	S	S	•	S
0.187"	•					
0.197"	•					
0.220"	S	S	S	S	•	S
0.236"	S	S	S	S	•	S
0.250"	•					
0.280"	•					
0.295"	•					
0.315"	•					
0.330"	•					
0.354"	S	S	S	S	•	S
0.375"			•			
0.394"			•			
0.472"	S	S	S	S	•	S
0.500"			•			
0.591"			•			
0.625"			•			
0.708"			S			
0.750"			•			
0.787"			•			
0.944"			S			
1.000"			S			

## KEY

- S = standard item
- = call for availability

## Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

## STANDARD SIZES

### Continuously Processed Clear Sheet:

0.060" thickness: 48"x96", 51"x100"

0.080" - 0.093" thickness: 48"x96", 51"x100", 60"x96", 72"x96", 75"x100"

0.098" - 0.220" thickness: 48"x96", 48"x120", 51"x100", 60"x96", 60"x120", 72"x96", 72"x120", 75"x100"

0.236" thickness: 48"x96", 51"x100", 60"x96", 72"x96", 75"x100"

0.354" thickness: 48"x96", 51"x100", 60"x96", 72"x96"

0.472" thickness: 48"x96", 60"x96", 72"x96"

0.500" - 1.000" thickness: 48"x96"

### Continuously Processed Colors, Standard Colors:

0.118" - 0.177" thickness: 48"x96", 51"x100", 60"x96", 72"x96", 75"x100", 48"x120", 60"x120", 72"x120"

0.220" thickness: 48"x96"

0.236" thickness: 48"x96", 51"x100", 60"x96", 72"x96", 75"x100"

0.354" - 0.472" thickness: 48"x96"

Available Colors: Bronze, Grey, Black, White, Glass Green

### Continuously Processed Colors, Translucent Sign Colors:

0.118" - 0.236" thickness: 48"x96", 75"x100"

Available Colors: Red, Blue, Yellow, Ivory

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

SHEET AVAILABILITY:



THICKNESS	NON-GLARE <i>(Film Mask)</i>	NON-GLARE <i>(Reclingable Mask)</i>	NON-GLARE <i>(Paper Mask)</i>	ULTRAVIOLET FILTERING <i>(Film Mask)</i>	ULTRAVIOLET FILTERING <i>(Paper Mask)</i>	ULTRAVIOLET FILTERING NON-GLARE <i>(Film Mask)</i>	ULTRAVIOLET FILTERING NON-GLARE <i>(Paper Mask)</i>
0.060"	S	S	S				
0.080"	S	S	S				
0.098"	S	S	S	•	S	•	S
0.118"	S	S	S	•	S	•	S
0.177"	S	S	S	•	S		
0.236"	S	S	S				

THICKNESS	FROSTED ONE SIDE ONLY, CLEAR <i>(Paper Mask)</i>	FROSTED ONE SIDE ONLY, COLORS <i>(Paper Mask)</i>	FROSTED TWO SIDES, CLEAR <i>(Paper Mask)</i>	FROSTED TWO SIDES, COLORS <i>(Paper Mask)</i>	FROSTED THROUGHOUT CLEAR <i>(Clear Adhesive Film Mask)</i>	FROSTED THROUGHOUT COLORS <i>(Clear Adhesive Film Mask)</i>	MEDIUM TEXTURED <i>(Clear Film, One Side)</i>	MEDIUM TEXTURED TWO SIDED <i>(Clear Film, One Side)</i>	DECORATIVE PATTERNED
0.060"					S	•			
0.080"					S	•			
0.098"					S	•			
0.118"	S	S	S	•	S	S	S	S	
0.157"									S
0.177"	S	S	S	•	S	S	S		
0.220"	S	S	S	•	S	S	S	S	
0.236"	S	S	S	•	S	S			
0.354"	S	S	S	•	S	S			
0.472"					S	S			

## KEY

- S = standard item
- = call for availability

## STANDARD SIZES

**Non-Glare Sheet:**  
0.060" - 0.236" thickness: 48"x96"

**UV Filtering Sheet:**  
0.098" thickness: 48"x96"  
0.118" - 0.177" thickness: 48"x96", 72"x96"

**Frosted Sheet, Clear (one or two sides):**  
0.118" - 0.354" thickness: 49"x97"

**Frosted Sheet, Colors (one or two sides):**  
0.118" - 0.354" thickness: 49"x97"  
*Available Colors: Glass Green, Blue*

**Frosted Sheet, Clear (throughout):**  
0.060" - 0.472" thickness: 49"x97"

**Frosted Sheet, Colors (throughout):**  
0.060" - 0.472" thickness: 49"x97"  
*Available Colors: Blue, Black, White, Light Green, Grey*

**Medium Textured Sheet:**  
0.118" - 0.220" thickness: 49"x97"

**Decorative Patterned Sheet:**  
0.157" thickness: 79.9"x120"  
*Available Textures: Swing and Tunis*

## Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

## SHEET AVAILABILITY:



THICKNESS	HIGH IMPACT HIGH OPTICAL CLARITY CLEAR (Film Mask)	HIGH IMPACT HIGH OPTICAL CLARITY CLEAR (Reclingable or Paper Mask)	HIGH IMPACT CLEAR (Film Mask)	HIGH IMPACT CLEAR (Reclingable or Paper Mask)	HIGH IMPACT GLASS GREEN (Film Mask)	HIGH IMPACT GLASS GREEN (Reclingable or Paper Mask)	HIGH IMPACT CLEAR NON-GLARE (Film Mask)	HIGH IMPACT CLEAR NON-GLARE (Reclingable or Paper Mask)
0.060"	S	•	S	•			S	•
0.080"	S	•	S	•	S	•	S	•
0.090"	S	•	S	•				
0.098"	S	•	S	•			S	•
0.118"	S	•	S	•	S	•	S	•
0.150"	•	•	S	•				
0.177"	S	•	S	•	S	•		
0.220"	S	•	S	•				
0.236"	S	•	S	•	S	•		
0.354"	S	•						
0.472"	•	•						

THICKNESS	HIGH IMPACT SIGN GRADE CLEAR (Paper Mask)	HIGH IMPACT SIGN GRADE COLORS (Paper Mask)	FOR LED LIGHTING FROSTED (Paper Mask)	FOR LED LIGHTING WHITE (Paper Mask)	FOR EDGE LIT APPLICATIONS (Film Mask)	COLORLED EDGE	FLUORESCENT	OPALESCENT (Film Mask)	METALLIC (Film Mask)
0.118"	S	S	S	S		S	S	S	S
0.150"	•	•							
0.157"					S				
0.177"	S	S	S	S		S	S		
0.236"					S	S	S		
0.315"					S				
0.354"						S	S		
0.394"					S				
0.472"						S	S		

### KEY

- S = standard item
- = call for availability

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

### STANDARD SIZES

**High Impact/High Optical Clarity Sheet:**  
0.060" - 0.472" thickness: 48"x96"

**High Impact Sheet:**  
0.060" - 0.236" thickness: 48"x96"

**High Impact Non-Glare Sheet:**  
0.060" - 0.118" thickness: 49"x97"

**High Impact Sign Grade Sheet Clear:**  
0.118" thickness: 51"x100"  
0.150" thickness: 51"x100", 75"x100"  
0.177" thickness: 51"x100", 75"x100", 75"x120"

**High Impact Sign Grade Sheet Colors:**  
0.118" thickness: 51"x100"  
0.150" - 0.177" thickness: 51"x100", 75"x100"  
*Available Colors: Yellow, Red, Blue, Green*

**Sheet for Edge-Lit Applications:**  
0.157" - 0.394" thickness: 49"x97", 80"x120"

**Sheet for LED Lighting Applications (frosted):**  
0.118" thickness: 49"x97"  
0.177" thickness: 75"x100"

**Sheet for LED Lighting Applications (white):**  
0.118" thickness: 75"x100"  
0.177" thickness: 75"x100", 75"x125"

**Colored Edge Sheet:**  
0.118" - 0.472" thickness: 48"x96", 72"x96"  
*Available Colors: Ruby, Red/Orange, Red, Orange, Yellow, Green, Blue, Black*

**Fluorescent Sheet:**  
0.118" - 0.472" thickness: 48"x96", 72"x96"  
*Available Colors: Red/Orange, Red, Orange, Yellow, Green Blue*

**Opalescent Sheet:**  
0.118" thickness: 48"x96"

**Metallic Sheet:**  
0.118" thickness: 48"x96"

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

SHEET AVAILABILITY:



THICKNESS	ABRASION RESISTANT, CLEAR <i>(Paper Mask)</i>	ABRASION RESISTANT UV FILTERING, CLEAR <i>(Paper Mask)</i>	ABRASION RESISTANT NON-GLARE, CLEAR <i>(Paper Mask)</i>	ABRASION RESISTANT, COLORS <i>(Paper Mask)</i>	ABRASION RESISTANT HIGH CLARITY, CLEAR <i>(Paper Mask)</i>	ABRASION RESISTANT UV FILTERING HIGH CLARITY, CLEAR <i>(Paper Mask)</i>	ABRASION RESISTANT HIGH CLARITY, COLORS <i>(Paper Mask)</i>
0.060"	S						
0.080"	S			S			
0.098"	S						
0.118"	S	S	S	S	S		S
0.177"	S			S	S	S	S
0.220"	S						
0.236"	S			S	S	S	S
0.354"	S			S	S	S	S
0.472"	S			S		S	S
0.500"					S		
0.625"					S		
0.708"	S						
0.944"	S						

## KEY

- S = standard item
- = call for availability

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

## STANDARD SIZES

### Abrasion Resistant Sheet, Clear:

0.060" thickness: 48"x96"  
 0.080" - 0.098" thickness: 48"x96", 60"x96", 72"x96", 72"x120"  
 0.118" thickness: 48"x96", 60"x96", 72"x96", 72"x120", 60"x72", 48"x72"  
 0.177" - 0.220" thickness: 48"x96", 60"x96", 72"x96", 72"x120"  
 0.236" thickness: 48"x96", 60"x96", 72"x96", 72"x120", 60"x72", 48"x72"  
 0.354" - 0.472" thickness: 48"x96", 60"x96", 72"x96", 72"x120"  
 0.708" thickness: 48"x96"  
 0.944" thickness: 48"x96"

### Abrasion Resistant, UV Filtering, Clear Sheet:

0.118" thickness: 48"x96"

### Abrasion Resistant, Non-Glare, Clear Sheet:

0.118" thickness: 48"x96"

### Abrasion Resistant Sheet, Colors:

0.080" - 0.472" thickness: 48"x96", 60"x96"  
*Available Colors: Bronze, Grey, Glass Green*

### Abrasion Resistant Sheet, High Clarity Clear:

0.118" - 0.625" thickness: 48"x96", 60"x96"

### Abrasion Resistant Sheet, UV Filtering, High Clarity:

0.177" - 0.472" thickness: 48"x96", 60"x96"

### Abrasion Resistant Sheet, High Clarity Colors:

0.118" - 0.472" thickness: 48"x96", 60"x96"  
*Available Colors: Bronze, Grey, Glass Green*

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

SHEET AVAILABILITY:



THICKNESS	CAST ACRYLIC, CLEAR <i>(Paper Mask)</i>	CAST ACRYLIC, STANDARD WHITES <i>(Paper Mask)</i>	CAST ACRYLIC, COLORS <i>(Paper Mask)</i>
0.118"	S	S	S
0.177"	S	S	S
0.236"	S	S	S
0.354"	S	S	S
0.472"	S	S	S
0.708"	S	S	S
0.944"	S	S	S

## KEY

- S = standard item
- = call for availability

Custom sizes and lengths may be available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

## STANDARD SIZES

Cast Acrylic Sheet, Clear, White and Colors:  
0.118" - 0.944" thickness: 48"x96", 72"x96", 80"x120"

Available Translucent Colors: White, Ivory, White-Crystal, Red, Orange, Peach, Yellow, Green, Blue, Azure

Available Opaque Colors: White-Antique, Black

Available Transparent Colors: Grey, Bronze, Green, Blue

# ACRYLIC (polymethyl methacrylate)

ACRYLITE® / OPTIX® / PLEXIGLAS®

## TUBE AVAILABILITY:



OUTSIDE DIAMETER	INSIDE DIAMETER	GENERAL PURPOSE
0.250"	0.125"	S
0.312"	0.187"	S
0.375"	0.125"	•
	0.250"	S
0.500"	0.250"	S
	0.375"	S
0.625"	0.375"	S
	0.500"	S
0.750"	0.500"	S
	0.625"	S
0.875"	0.625"	S
	0.750"	S
1.000"	0.750"	S
	0.875"	S
1.250"	1.000"	S
	1.125"	S
1.375"	1.125"	S
1.500"	1.250"	S
1.625"	1.375"	S
1.750"	1.500"	S
2.000"	1.750"	S
2.250"	2.000"	S
2.500"	2.250"	S
2.750"	2.500"	S
3.000"	2.750"	S
3.250"	3.000"	S
3.500"	3.250"	S
3.750"	3.500"	S
4.000"	3.750"	S
4.500"	4.250"	S
5.000"	4.750"	S
6.000"	5.750"	S
7.000"	6.750"	S
8.000"	7.750"	S
10.000"	9.750"	S
12.000"	11.750"	S
12.000"	11.500"	S

## ROD AVAILABILITY:



DIAMETER	GENERAL PURPOSE
0.062"	•
0.125"	S
0.187"	S
0.250"	S
0.312"	S
0.375"	S
0.437"	•
0.500"	S
0.562"	•
0.625"	S
0.750"	S
0.875"	S
1.000"	S
1.125"	S
1.250"	S
1.375"	•
1.500"	S
2.000"	S

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

**Tube:**  
0.250" - 12.000" outside diameter: 6ft.

**Rod:**  
0.062" - 2.000" diameter: 6ft.

Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# EXPANDED PVC

CELTEC® / SINTRA®

## SHEET AVAILABILITY:



THICKNESS	WHITE	BLACK	GRAY	COLORS	ULTRA WHITE	BRIGHT WHITE - PRINT OPTIMIZED
1mm	S	S	S			
2mm	S	S	•		S	•
3mm	S	S	S	S	S	S
4mm	S				•	•
5mm	S	S	S			•
6mm	S	S	S	S	S	S
10mm	S	S	S			
12mm	S	S	S			
15mm	S					
19mm	S	S	S			
25mm	S	S	S			
30mm	S					

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

#### White:

- 1mm thickness: 48"x96"
- 2mm thickness: 48"x96", 48"x120", 60"x120"
- 3mm thickness: 39"x96", 48"x96", 48"x120", 50"x100", 60"x96", 60"x120"
- 4mm thickness: 48"x96"
- 5mm thickness: 48"x96"
- 6mm thickness: 48"x96", 48"x120", 60"x96", 60"x120"
- 10mm thickness: 48"x96", 48"x120", 60"x120"
- 12mm thickness: 48"x96", 48"x120", 60"x120"
- 15mm thickness: 48"x96", 48"x120"
- 19mm thickness: 48"x96", 48"x120"
- 25mm thickness: 48"x96", 48"x120"
- 30mm thickness: 48"x96"

#### Black and Gray:

- 1mm thickness: 48"x96"
- 2mm thickness: 48"x96"
- 3mm thickness: 48"x96", 48"x120", 60"x96", 60"x120"
- 5mm thickness: 48"x96"
- 6mm thickness: 48"x96", 48"x120", 60"x96", 60"x120"
- 10mm thickness: 48"x96", 48"x120", 60"x120"
- 12mm thickness: 48"x96", 48"x120", 60"x120"
- 19mm thickness: 48"x96", 48"x120"
- 25mm thickness: 48"x96", 48"x120"

#### Colors:

- 3mm - 6mm thickness: 48"x96"
- Available Colors: Red, Yellow, Green, Blue, Light Blue (3mm only), Beige, Cool Gray

#### Ultra White:

- 2mm - 6mm thickness: 48"x96"

#### Bright White - Print Optimized:

- 2mm - 5mm thickness: 39.37"x96", 48"x96", 48"x120", 60"x96", 60"x120", 79.92"x120"
- 6mm thickness: 48"x96", 48"x120", 60"x120", 79.92"x120"

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# FLUTED BOARDS (corrugated/fluted/twinwall polypropylene)

COROPLAST™ / OMNI-FLUTE™

SHEET AVAILABILITY:



THICKNESS	WHITE	COLORS
2mm	S	S
3mm	S	S
4mm	S	S
5mm	S	S
6mm	S	S
8mm	S	S
10mm	S	S

## KEY

- S = standard item
- = call for availability

## STANDARD SIZES

### White:

2mm - 10mm thickness: 48"x96"

4mm thickness: 24"x18", 24"x24", 24"x36",  
48"x96", 96"x48", 48"x120", 60"x96", 60"x120"

### Colors:

2mm - 10mm thickness: 48"x96"

4mm thickness: 24"x18", 48"x96", 60"x120"

Available Colors: Blue, Black, Brown, Natural, Ivory, Navy Blue,  
Yellow, Red, Orange, Green, Silver

## Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer.  
Many of our materials are also available as films with thicknesses of 0.029" or less.  
Please ask your Curbell Plastics representative for more specific information about  
an individual brand.

# FOAM BOARDS

FOME-COR® / GATORFOAM® / GATORPLAST®

## FOME-COR® SHEET AVAILABILITY:



THICKNESS	WHITE CLAY COATED FACERS / WHITE FOAM	BLACK PAPER FACERS / BLACK FOAM	BLACK PAPER AND WHITE CLAY COATED / VARIOUS FOAM	WHITE CLAY COATED FACERS / BLACK FOAM	CREME LINER FACERS / WHITE FOAM	RECOVERY FOAM	HEAT ACTIVATED ADHESIVE	HIGH-TACK SELF-ADHESIVE	LOW-TACK SELF-ADHESIVE
0.125"	S				S				
0.187"	S	S	S	•	S	S	S	S	S
0.375"	S	•							

## GATOR® SHEET AVAILABILITY:



THICKNESS	GATORFOAM® WHITE FACE/ WHITE CORE	GATORFOAM® WHITE FACE/ BLACK CORE	GATORFOAM® BLACK FACE/ BLACK CORE	GATORFOAM® NATURAL FACE/ WHITE CORE	GATORFOAM® WHITE FACE/ BLACK CORE/ BLACK FACE	GATORPLAST® WHITE FACE/ WHITE CORE	GATORPLAST® BLACK FACE/ BLACK CORE
0.187"	S	S	S	S	S	S	S
0.375"	S	S	S	S	S		
0.500"	S	S	S	S	S	S	
0.750"	S	S	S	S	S		
1.000"	S	S	S	S	S		
1.500"	S	S	S	S	S		
2.000"	S	S	S	S	S		

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

**White Clay Coated Facers/White Foam:**  
 0.125" thickness: 32"x40", 40"x60", 48"x96"  
 0.187" thickness: 20"x30", 24"x36", 30"x40", 30"x42", 32"x40", 40"x60", 48"x72", 48"x96", 48"x120", 60"x96"  
 0.375" thickness: 40"x60", 48"x96"

**Black Paper Facers/Black Foam:**  
 0.187" thickness: 32"x40", 40"x60", 48"x96"

**Black Paper and White Clay Coated/Varied Foam:**  
 0.187" thickness: 48"x96"

**Crepe Liner Facers/White Foam:**  
 0.125" thickness: 32"x40", 40"x60"  
 0.187" thickness: 32"x40", 40"x60"

**Recovery Foam:**  
 0.187" thickness: 24"x36", 30"x40", 32"x40", 40"x60", 48"x96"

**Heat Activated:**  
 0.187" thickness: 24"x36", 32"x40", 40"x60", 48"x96"

**High Tack Self-Adhesive:**  
 0.187" thickness: 24"x36", 48"x72"

**Low Tack Self-Adhesive:**  
 0.187" thickness: 24"x36", 32"x40", 40"x60"

**Gatorfoam® White Face/White Core:**  
 0.187" - 2.000" thickness: 48"x96", 60"x120"

**Gatorfoam® White Face/Black Core:**  
 0.187" - 2.000" thickness: 48"x96", 60"x120"

**Gatorfoam® Black Face/Black Core:**  
 0.187" - 2.000" thickness: 48"x96", 60"x120"

**Gatorfoam® Natural Face/White Core:**  
 0.187" - 2.000" thickness: 48"x96", 60"x120"

**Gatorfoam® White Face/Black Core/Black Face:**  
 0.187" - 2.000" thickness: 48"x96", 60"x120"

**Gatorplast® White Face/White Core:**  
 0.187" - 0.500" thickness: 48"x96"

**Gatorplast® Black Face/Black Core:**  
 0.187" thickness: 48"x96"

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# KYDEX® THERMOPLASTIC SHEET

## SHEET AVAILABILITY:



THICKNESS	KYDEX® 100	KYDEX® T
0.028"	S	S
0.040"	S	S
0.060"	S	S
0.080"	S	S
0.093"	S	S
0.125"	S	S
0.156"	S	S
0.187"	S	S
0.250"	S	S
0.315"	S	S
0.354"	S	S
0.375"	S	S

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

Sheet:  
0.028" - 0.375" thickness: 48"x96"

*Standard Colors - KYDEX® 100:*  
42000 Cadet Blue, 52000 Calcutta Black, 52001 Pewter Gray, 52002 Dark Gray, 52070 Pinstripe, 62000 Polar White, 62015 Ivory, 62029 Snowflake, 62033 Monterey, 72005 Beige

*Standard Colors - KYDEX® T:*  
42107 Canyon Blue, 52000 Calcutta Black, 52001 Pewter Gray, 52002 Dark Gray, 52070 Pinstripe, 52114 Black, 62000 Polar White, 62029 Snowflake, 62033 Monterey, 72005 Beige

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# MIRROR

FABBACK®

## SHEET AVAILABILITY:



THICKNESS	CLEAR ACRYLIC	COLORED ACRYLIC	SEE THRU ACRYLIC	TWO SIDED ACRYLIC	PETG	POLYCARBONATE	TWO SIDED POLYCARBONATE
0.030"					S		
0.060"	S				S		
0.080"	S				S		
0.118"	S	S	S	S	S	S	S
0.220"	S						
0.236"	S	S	S	S		S	S

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

#### Clear Acrylic:

0.060"-0.236" thickness: 48"x96"  
 0.118" thickness: 60"x96", 72"x96"

#### Colored Acrylic:

0.118" thickness: 48"x96.5"  
 0.236" thickness: 48"x96.5" (2404 Bronze and 2064 Gray ONLY)  
 Available Colors: 1000 Blue, 2069 Blue, 2424 Blue, 1020 Purple, 1050 Gray, 2064 Gray, 1119 Orange, 1300 Gold, 1310 Red, 1400 Red, 2423 Red, 2404 Bronze, 1600 Bronze, 4674 Green, 2414 Green, 1450 Pink, 2120 Teal, 2208 Yellow, 2422 Amber

#### See Thru Acrylic:

0.118"-0.236" thickness: 48"x96"

#### Two-Sided Acrylic:

0.118"-0.236" thickness: 48"x96"

#### PETG:

0.030"-0.118" thickness: 48"x96"

#### Polycarbonate:

0.118"-0.236" thickness: 48"x96"

#### Two-Sided Polycarbonate:

0.118"-0.236" thickness: 48"x96"

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# PETG (amorphous copolyester)

SPECTAR® / VIVAK®

SHEET AVAILABILITY:



GAUGE	SMOOTH	TEXTURE MATTE/ SATIN	UV STABILIZED
0.020"	S		
0.030"	S		
0.040"	S		
0.060"	S	S	S
0.070"	S	S	
0.080"	S	S	S
0.093"	S	S	
0.100"	S	S	S
0.118"	S	S	S
0.177"	S	S	S
0.220"	S	S	
0.236"	S	S	S
0.375"	S		
0.500"	S		

## KEY

- S = standard item
- = call for availability

## STANDARD SIZES

### Smooth Sheet:

0.020" - 0.500" thickness: 48"x72.5", 48"x96"

0.060" - 0.236" thickness: 60"x96"

### Textured Matte/Satin Sheet:

0.060" - 0.236" thickness: 48"x96"

### UV Stabilized Sheet:

0.060" - 0.236" thickness: 48"x96"

### Available Colors:

Clear, Bronze, Gray, Black

Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# POLYCARBONATE

MAKROLON®

SHEET AVAILABILITY:



THICKNESS	GENERAL PURPOSE	UV ENHANCED SIGN GRADE CLEAR, WHITE	UV ENHANCED SIGN GRADE COLORS	OPTICAL GRADE	LIGHT DIFFUSING - WHITE/COLORS	ABRASION RESISTANT - CLEAR/COLORS	CONTAINMENT GRADE	BULLET RESISTANT
0.030"	S							
0.040"	S							
0.060"	S							
0.080"	S							
0.093"	S	S			S			
0.118"	S	S	S	S	S	S		
0.150"		S	S		S			
0.177"	S	S	S	S	S	S		
0.220"	S	S		S	S			
0.236"	S	S		S	S	S		
0.375"	S			S		S	S	
0.500"	S			S		S	S	
0.750"							S	S
1.000"								S
1.250"								S

## KEY

- S = standard item
- = call for availability

## STANDARD SIZES

### General Purpose Sheet:

- 0.030" - 0.040" thickness: 24"x48"
- 0.030" - 0.500" thickness: 48"x96"
- 0.118" - 0.220", 0.375", 0.500" thickness: 48"x120"
- 0.118" - 0.500" thickness: 60"x96"
- 0.118", 0.220" thickness: 60"x120"
- 0.118" - 0.500" thickness: 72"x96"
- 0.220" thickness: 72"x120"

### UV Enhanced Sign Grade Sheet Clear:

- 0.093" - 0.236" thickness: available as reels, call for sizes
- 0.118" thickness: 52"x100"
- 0.177" thickness: 52"x100", 52"x125", 75"x100", 75"x125"
- 0.236" thickness: 48"x96"

### UV Enhanced Sign Grade Sheet White:

- 0.093" - 0.236" thickness: available as reels, call for sizes
- 0.118" thickness: 52"x100", 52"x125", 75"x100"
- 0.177" thickness: 52"x100", 52"x125", 75"x100", 75"x125"
- 0.236" thickness: 52"x100"

### UV Enhanced Sign Grade Sheet Colors:

- 0.118" - 0.177" thickness: available as reels, call for sizes
- Available Colors: D83/D93/D92 Red, F14/F76 Blue, H08 Green, M37 Yellow, C19 Orange, L10 Black

### Optical Grade Sheet:

- 0.118" - 0.500" thickness: 48"x96", 60"x96", 72"x96", 96"x96"

### Light Diffusing Sheet:

- 0.093" - 0.236" thickness: available as reels, call for sizes
- 0.118" - 0.177" thickness: 52"x100", 52"x125", 75"x100", 75"x125"
- 0.236" thickness: 48"x96"
- Available Colors: B50/B27 White, D98/D96/D99 Red, C59 Orange, F84/F85 Blue, H87 Green, M72 Yellow

### Abrasion Resistant Sheet:

- 0.118" - 0.500" thickness: 48"x96", 60"x96", 72"x96"
- Available Colors: K09 Bronze (0.236"), H35 Green (0.118", 0.177", 0.236"), I30 Light Gray (0.236"), I35 Dark Gray (0.236")

### Containment Grade Sheet:

- 0.375" - 0.500" thickness: 38"x78", 38"x96", 48"x60", 48"x72", 48"x96", 60"x96"

### Bullet Resistant Sheet:

- 0.750" - 1.250" thickness: 38"x78", 38"x96", 48"x60", 48"x72", 48"x96", 60"x72", 60"x96"

### Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# POLYCARBONATE

BAYFOL® • MAKROFOL®

TUBE AVAILABILITY:



FILM AVAILABILITY:



OUTSIDE DIAMETER	INSIDE DIAMETER	GENERAL PURPOSE
0.375"	0.250"	S
0.500"	0.375"	S
0.625"	0.500"	S
0.750"	0.625"	•
0.875"	0.750"	•
1.000"	0.750"	S
	0.875"	S
1.125"	1.000"	S
1.250"	1.000"	S
	1.125"	S
1.500"	1.250"	S
	1.375"	•
1.750"	1.500"	S
	1.625"	•
2.000"	1.750"	S
	1.875"	S
2.250"	2.000"	•
	2.125"	•
2.500"	2.250"	•
	2.375"	•
2.750"	2.500"	S
	2.625"	S
3.000"	2.750"	S
	2.875"	•
3.125"	3.000"	•
3.250"	3.000"	S
3.500"	3.250"	S
4.000"	3.750"	S
6.000"	5.750"	S

THICKNESS	CLEAR VELVET/MATTE	CLEAR GLOSS/GLOSS M2	CLEAR GLOSS/MATTE	CLEAR VELVET/GLOSS	WHITE TRANSLUCENT GLOSS/MATTE	UV1 WEATHERABLE VELVET/MATTE
0.005"	S	S	S	•		
0.007"	S	S	•	•		S
0.010"	S	S	S	S	S	S
0.015"	S	S	S	S	•	S
0.020"	S	S	S	S	S	S
0.030"	S	S	•	•	S	•

## KEY

- S = standard item
- = call for availability

## STANDARD SIZES

**Tube:**  
0.375" - 6.000" outside diameter: 8ft.

**Film:**  
0.005" - .030" thickness: 48" rolls or 24"x48" sheets

Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# POLYSTYRENE (HIPS, high impact polystyrene)

## SHEET AVAILABILITY:



THICKNESS	WHITE	BLACK
0.015"	S	•
0.020"	S	S
0.030"	S	S
0.040"	S	S
0.050"	S	•
0.060"	S	S
0.080"	S	S
0.100"	S	S
0.125"	S	S
0.150"	•	•
0.187"	S	•
0.250"	S	S

### KEY

- S = standard item
- = call for availability

### STANDARD SIZES

Sheet (Matte/Smooth Finish):

0.015" - 0.250" thickness: 40"x72", 48"x96"

0.020" - 0.060" thickness: 50"x99"

Custom sizes and lengths available upon request

Length, width, thickness, and diameter tolerances vary by size and by manufacturer. Many of our materials are also available as films with thicknesses of 0.029" or less. Please ask your Curbell Plastics representative for more specific information about an individual brand.

# EQUIVALENT CHART

FRACTIONS, DECIMALS, AND MILLIMETER EQUIVALENTS

		DECIMALS	MM
	$\frac{1}{64}$	.0156	0.3969
<b>1</b>	$\frac{1}{16}$	<b>.0312</b>	<b>0.7937</b>
	$\frac{3}{64}$	.0469	1.1906
<b>1</b>	$\frac{3}{32}$	<b>.0625</b>	<b>1.5875</b>
	$\frac{5}{64}$	.0781	1.9844
<b>3</b>	$\frac{5}{32}$	<b>.0938</b>	<b>2.3812</b>
	$\frac{7}{64}$	.1094	2.7781
<b>1</b>	$\frac{7}{32}$	<b>.1250</b>	<b>3.1750</b>
	$\frac{9}{64}$	.1406	3.5719
<b>5</b>	$\frac{9}{32}$	<b>.1562</b>	<b>3.9688</b>
	$\frac{11}{64}$	.1719	4.3656
<b>3</b>	$\frac{11}{32}$	<b>.1875</b>	<b>4.7625</b>
	$\frac{13}{64}$	.2031	5.1594
<b>7</b>	$\frac{13}{32}$	<b>.2188</b>	<b>5.5563</b>
	$\frac{15}{64}$	.2344	5.9531
<b>1</b>	$\frac{15}{32}$	<b>.2500</b>	<b>6.3500</b>
	$\frac{17}{64}$	.2656	6.7469
<b>9</b>	$\frac{17}{32}$	<b>.2812</b>	<b>7.1437</b>
	$\frac{19}{64}$	.2969	7.5406
<b>5</b>	$\frac{19}{32}$	<b>.3125</b>	<b>7.9375</b>
	$\frac{21}{64}$	.3281	8.3344
<b>11</b>	$\frac{21}{32}$	<b>.3438</b>	<b>8.7312</b>
	$\frac{23}{64}$	.3594	9.1281
<b>3</b>	$\frac{23}{32}$	<b>.3750</b>	<b>9.5250</b>
	$\frac{25}{64}$	.3906	9.9219
<b>13</b>	$\frac{25}{32}$	<b>.4062</b>	<b>10.3187</b>
	$\frac{27}{64}$	.4220	10.7188
<b>7</b>	$\frac{27}{32}$	<b>.4375</b>	<b>11.1125</b>
	$\frac{29}{64}$	.4531	11.5094
<b>15</b>	$\frac{29}{32}$	<b>.4688</b>	<b>11.9062</b>
	$\frac{31}{64}$	.4844	12.3031
<b>1</b>	$\frac{31}{32}$	<b>.5000</b>	<b>12.7000</b>

		DECIMALS	MM
	$\frac{33}{64}$	.5156	13.0969
<b>17</b>	$\frac{33}{32}$	<b>.5313</b>	<b>13.4937</b>
	$\frac{35}{64}$	.5469	13.8906
<b>9</b>	$\frac{35}{32}$	<b>.5625</b>	<b>14.2875</b>
	$\frac{37}{64}$	.5781	14.6844
<b>19</b>	$\frac{37}{32}$	<b>.5938</b>	<b>15.0813</b>
	$\frac{39}{64}$	.6094	15.4781
<b>5</b>	$\frac{39}{32}$	<b>.6250</b>	<b>15.8750</b>
	$\frac{41}{64}$	.6406	16.2719
<b>21</b>	$\frac{41}{32}$	<b>.6562</b>	<b>16.6687</b>
	$\frac{43}{64}$	.6719	17.0656
<b>11</b>	$\frac{43}{32}$	<b>.6875</b>	<b>17.4625</b>
	$\frac{45}{64}$	.7031	17.8594
<b>23</b>	$\frac{45}{32}$	<b>.7188</b>	<b>18.2563</b>
	$\frac{47}{64}$	.7344	18.6531
<b>3</b>	$\frac{47}{32}$	<b>.7500</b>	<b>19.0500</b>
	$\frac{49}{64}$	.7656	19.4469
<b>25</b>	$\frac{49}{32}$	<b>.7812</b>	<b>19.8438</b>
	$\frac{51}{64}$	.7969	20.2406
<b>13</b>	$\frac{51}{32}$	<b>.8125</b>	<b>20.6375</b>
	$\frac{53}{64}$	.8281	21.0344
<b>27</b>	$\frac{53}{32}$	<b>.8438</b>	<b>21.4312</b>
	$\frac{55}{64}$	.8594	21.8281
<b>7</b>	$\frac{55}{32}$	<b>.8750</b>	<b>22.2250</b>
	$\frac{57}{64}$	.8906	22.6219
<b>29</b>	$\frac{57}{32}$	<b>.9062</b>	<b>23.0187</b>
	$\frac{59}{64}$	.9219	23.4156
<b>15</b>	$\frac{59}{32}$	<b>.9375</b>	<b>23.8125</b>
	$\frac{61}{64}$	.9531	24.2094
<b>31</b>	$\frac{61}{32}$	<b>.9688</b>	<b>24.6062</b>
	$\frac{63}{64}$	.9844	25.0031
<b>1</b>	$\frac{63}{32}$	<b>1.000</b>	<b>25.4000</b>

# BRAND CROSS REFERENCE

---

COMMON NAME	TRADENAME
<b>ABS</b>	Absylux®, Cycolac®, Lustran®, Royalite®, TECARAN™
<b>Acrylic</b>	ACRYLITE®, Duraplex®, Fabback®, Excelon™, Lucite®, Optix®, Perspex®, Plexiglas®, Polycast
<b>Expanded PVC</b>	Celtec®, InteFoam®, InteCel®, KOMATEX®, KOMACEL®, Sintra®, Versacel®
<b>Fluted Polypropylene</b>	Coroplast™, Cor-X®, IntePro®, Omni-Flute™, Plasticor WhiteCap™
<b>Foam Boards</b>	Duraplast®, Fome-Cor®, Gatorfoam®, Gatorplast®, Insite® Reveal, Jet-Mount®, Encore® PilloCore®, Ryno Board®, Stylite®, Cellulite®, Ultra Board®, Ultra Mount®, Ultra Plus®
<b>Mirror</b>	Fabback®, Plexi-View, Miracryl
<b>PETG</b>	Spectar®, Ultros®, Vivak®
<b>Polycarbonate</b>	Hydex®, Hygard®, Hyzod®, Lexan®, Lexgard®, Makrofol®, Makrolon®, Margard®, Sustanat®, TECANAT™, Tuffak®, Zelux®
<b>Polystyrene (HIPS, high impact)</b>	Rexolite®, Styron™

# Curbell's Full Line of Materials

## PLASTIC MATERIALS

- ABS
- Acetal
- Acetate film and sheet
- Acrylic
- Acrylic accessories
- Acrylic, impact modified
- Acrylic mirror
- ACRYLITE® acrylic sheet
- Bollard covers
- Calendered vinyl
- Cast acrylic sheet
- Celtec® expanded PVC
- Coextruded colored acrylic
- Conductive engineering plastics
- Coroplast™
- Corner guards
- Delrin®
- Dibond®
- Double patterned acrylic sheet
- DP-32 patterned acrylic sheet
- DuPont™ SentryGlas®
- DuPont™ Vespel® Polyimide Shapes
- Duraplast®
- Engraving stock
- Ergonomic/Anti-fatigue matting
- Eslon DC glazing
- ETFE
- Expanded PVC
- Fabback® mirror
- FEP
- Fiberglass grating
- Flexible tubing
- Fluoroplastics
- FM4910 materials
- Fome-Cor®
- Gatorfoam®
- GatorPlast®
- Glass-filled engineering plastics
- Glastic® thermosets
- Halar® (ECTFE)
- Heat shrink tubing
- High density polyethylene
- HIPS film
- Hydex® 4101 (PBT)
- InteCel®
- InteClear®
- InteFoam®
- Jetmount®
- Komacel®
- Komadur®
- Komatex®
- KYDEX® thermoplastic sheet
- Kynar® PVDF
- Light diffusing film
- Low density polyethylene
- Makrofol® polycarbonate film
- MAKROLON® HYGARD®
- MAKROLON® polycarbonate sheet
- MAKROLON® 15 polycarbonate sheet
- Marine board
- Medical grade plastics
- Mirror
- Noryl®
- NYCAST® (Nylon)
- NYLOIL® oil filled
- Nylon
- Nylon MD
- NYMETAL™ (Nylon)
- Opti-Sphere™ mirror
- OPTIX® acrylic sheet
- PBT
- PEEK®
- PEEK® bearing grade
- PET
- PETG film and sheet
- PFA
- Phenolic
- Plastic lumber
- Plastic welding rods
- Platforms
- Plexiglas® acrylic
- Plexus®
- Poly II UVA acrylic sheet
- Poly 76 acrylic sheet
- Poly 84 acrylic sheet
- Poly bags
- Polyamide-imide
- Polycarbonate film, sheet, and mirror
- Polycarbonate mirrors
- Polyethylene
- Polyester film
- Polyimide
- Polyphenylene sulfide
- Polyphenylene sulfide, bearing grade
- Polypropylene
- Polystyrene
- Polysulfone
- PPS
- Press polished vinyl
- Printable polyethylene
- Print grade polystyrene
- PTFE
- PVC
- Radel® R
- Reinforced PTFE
- Rexolite®
- Rigid foams
- Rigid PVC film
- RTV silicones
- Ryton® (PPS)
- Scratch resistant vinyl
- See-thru mirror
- Sign grade materials
- Sign vinyl
- Sintra® expanded PVC
- Soft foams
- Solacryl™ UV transmitting sheet
- Starboard®
- Static cling vinyl
- Static dissipative ABS, Acetal, Polycarbonate, Polyetherimide, and PTFE
- Styrene
- TECAFORM™ (Acetal)
- TECAFORM™ HPV-13 (PTFE filled acetal)
- TECAMID™ 6/6 (Nylon)
- TECANAT™ (Polycarbonate)
- TECAPEEK™
- TECAPEEK™, bearing grade
- TECAST VEKTON™ (Nylon)
- TECATOR™ (PAI)
- TECATRON™ (PPS)
- TECATRON™ (PPS), bearing grade
- Thermoset laminates
- Tuffak® polycarbonate sheet
- Twin wall polycarbonate sheet
- UHMW-PE
- Ultem® (PEI)
- Urethane
- UV adhesives
- Vinyl
- VIVAK HT® PETG
- Welding curtains

## PLASTIC FILMS

- Acetate
- Acrylic
- HDPE
- HIPS
- Kynar® PVDF
- LDPE
- Light diffusing film
- Makrofol® polycarbonate film
- Nylon
- PEEK
- PEN
- PETG
- Polycarbonate
- Polyester
- Polyimide
- Polypropylene

## PROTOTYPING, MOLDMAKING, AND TOOLING MATERIALS

- DSM Somos® SLA resins
- Momentive silicone mold making materials
- PTM&W liquid casting and laminating urethanes
- PTM&W liquid casting and laminating epoxies
- Ramp® modeling and tooling board
- RTV silicones

## ADHESIVES AND SEALANTS

- 3M™ adhesives
- 3M™ tapes
- Aerosols
- Anaerobics
- Bostik®
- Cyanoacrylates
- Dispensing equipment-bulk, cartridge
- Epoxies
- Hot melts
- IPS Weld-on®
- Latexes
- Loctite®
- Methacrylates
- Momentive
- RTV silicones
- Plexus®
- Polyurethane foam
- RTV silicone
- Silicones
- Structural adhesives
- Urethane
- UV adhesives
- 3M™

## TAPES, FABRICS, AND BELTS

- 3M™ foam tapes
- 3M™ masking products
- 3M™ MRO tapes
- 3M™ packaging products
- 3M™ transfer tapes
- 3M™ VHB tapes
- Aisle marking tapes,
- Aluminum foil, adhesive backed
- Anti-static UHMW and PTFE coated fiberglass fabric
- Application tape
- ATG transfer tapes
- Carton sealing tape
- Circuit board tapes (polyester, polyimide, fiberglass)
- Copper foil, adhesive backed
- Crepe paper masking tapes
- Differential adhesive tapes
- Double-coated tapes (paper, polyester, polypropylene, scrim, and tissue)
- FEP tapes
- Fiberglass cloth tape
- Filament reinforced strapping tapes
- Flame/plasma spray tapes
- Flat back paper tapes
- Fluorescent cloth duct and gaffers tapes
- Friction tape
- Gaffer tapes
- Glow-in-the-dark, polyester tapes
- Heat sealing tapes
- Kapton® polyimide tape
- Lead foil, adhesive backed
- Litho graphic arts tape
- Magnetic tapes, one face flexible
- Mechanical grade PTFE coated fiberglass fabrics
- Mylar/polyester tapes
- Pipe thread seal (PTFE)
- Pipe wrap tapes, heavy duty SPVC
- Plating tapes, polyester and vinyl
- Polyester splicing tapes
- Polypropylene high clarity label protection/lamination tapes
- PTFE coated fiberglass cloth
- PTFE fabric belts
- PTFE film tapes
- PVC foam tape
- Reflective tapes
- Safety tapes
- Tear/crease resistant PTFE coated fiberglass fabrics
- Transfer tapes
- UHMW tapes
- Very high bond acrylic tapes
- Vinyl (SPVC) tapes
- Vinyl electrical tapes
- Vinyl electroplating tapes
- Vinyl-cloth duct tapes
- Window glazing tapes
- Very high bond
- Vinyl (SPVC)

# 1.888.CURBELL (1.888.287.2355)

TO REQUEST A QUOTE PLEASE CALL US OR VISIT OUR WEBSITE AT [WWW.CURBELLPLASTICS.COM](http://WWW.CURBELLPLASTICS.COM)



With over 70 years of experience, a highly trained staff of plastics professionals, and a full line of plastic materials, Curbell Plastics is committed to providing our customers with the best technical expertise and service. We recognize that sign and display fabricators need clean, visually appealing, competitively priced materials that will process well and create the finest possible retail displays and signage.

#### **CURBELL PLASTICS' CAPABILITIES:**




- Technical expertise
- Local inventory
- Wide product offering
- On-time delivery
- Cut-to-size materials
- Fabrication services
- Film conversion

### **Put us to work for you!™**

Curbell Plastics has been supplying plastic sheet, rod, tube, films, adhesives, sealants, tapes, prototyping and tooling materials, and fabricated parts for over 70 years.

**CURBELL**  
PLASTICS

Nationwide **1.888.CURBELL**  
[www.curbellplastics.com](http://www.curbellplastics.com)



Curbell Plastics, Inc. has received ISO 9001:2008 certification through BSI Quality Management Systems. Several Curbell locations and the corporate headquarters have been certified.

ISO 9001:2008 certification assures customers that Curbell Plastics has a fully functioning and well-documented quality management system in place. Conducting business in accordance with this management system ensures traceability for products and services that Curbell Plastics provides.



**CURBELL**  
PLASTICS

Nationwide **1.888.CURBELL**  
[www.curbellplastics.com](http://www.curbellplastics.com)

**Put us to work for you!™**

**Curbell Plastics has been supplying plastic sheet, rod, tube, films, adhesives, sealants, tapes, prototyping and tooling materials, and fabricated parts for over 70 years**

For a complete list of addresses, contact information, materials, or to request a quote please visit our website: [www.curbellplastics.com](http://www.curbellplastics.com)