


COLOR CHART

Laser | Rotary | Print

Product Material Selection

MATTES



Red/ White  212-602 2-ply 1/32" 222-602 2-ply 1/16" 232-602 3-ply 1/16" 243-602 3-ply 1/8"	Burgundy/ White  222-622 2-ply 1/16" 243-622 3-ply 1/8"	Orange/ White  222-612 2-ply 1/16" 243-612 3-ply 1/8"	Yellow/ Black  212-744 2-ply 1/32" 222-744 2-ply 1/16" 232-744 3-ply 1/16" 243-744 3-ply 1/8"	Bright Green/ White  212-932 2-ply 1/32" 222-932 2-ply 1/16" 232-932 3-ply 1/16" 243-932 3-ply 1/8"	Celadon Green/ White  222-972 2-ply 1/16" 243-972 3-ply 1/8"	Pine Green/ White  222-912 2-ply 1/16" 243-912 3-ply 1/8"	Light Blue/ White  222-562 2-ply 1/16" 243-562 3-ply 1/8"	Sapphire/ White  222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/ White  212-512 2-ply 1/32" 222-512 2-ply 1/16" 232-512 3-ply 1/16" 243-512 3-ply 1/8"	Navy Blue/ White  222-552 2-ply 1/16" 243-552 3-ply 1/8"	China Blue/ White  222-382 2-ply 1/16" 243-382 3-ply 1/8"	Purple/ White  222-582 2-ply 1/16" 243-582 3-ply 1/8"	Almond/ Black  222-854 2-ply 1/16" 243-854 3-ply 1/8"	Ivory/ Dark Brown  222-228 2-ply 1/16" 243-228 3-ply 1/8"	Med. Brown/ White  222-822 2-ply 1/16" 243-822 3-ply 1/8"	Dark Brown/ White  222-842 2-ply 1/16" 243-842 3-ply 1/8"	White/ Red  212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/ Burgundy  222-226 2-ply 1/16" 243-226 3-ply 1/8"	White/ Bright Green  222-209 2-ply 1/16" 243-209 3-ply 1/8"	White/ Blue  212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	White/ Black  212-204 2-ply 1/32" 222-204 2-ply 1/16" 232-204 3-ply 1/16" 243-204 3-ply 1/8"	Light Grey/ Burgundy  222-326 2-ply 1/16" 243-326 3-ply 1/8"	Light Grey/ Marine Blue  222-325 2-ply 1/16" 243-325 3-ply 1/8"	Light Grey/ Black  222-324 2-ply 1/16" 243-324 3-ply 1/8"	Grey/ White  222-312 2-ply 1/16" 243-312 3-ply 1/8"	Black/ White  212-402 2-ply 1/32" 222-402 2-ply 1/16" 232-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/ Bright White  222-412 2-ply 1/16" 243-412 3-ply 1/8"	Walnut/ White  222-172 2-ply 1/16" 243-172 3-ply 1/8"	English Walnut/ Bright White  222-192 2-ply 1/16" 243-192 3-ply 1/8"	Black Walnut/ White  222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Microsurfaced ABS

Finish
Matte non-glare

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.003" // 0.08mm

Usage
Interior signage
Personal identification
Permits fine detail engraving
Trophies, awards & plaques

Capabilities

Bevels Drills Saws Shears	Bonds Heat bendable Scores Silk screens	Braille-engravable Hot stamps Screen prints
------------------------------------	--	---

LACQUERS



Red/ White  422-602 2-ply 1/16" 442-602 2-ply 1/8"	Yellow/ Black  422-704 2-ply 1/16" 442-704 2-ply 1/8"	Safety Yellow/ Black  422-794 2-ply 1/16" 442-794 2-ply 1/8"	Bright Green/ White  422-932 2-ply 1/16" 442-932 2-ply 1/8"	Teal/ White  422-962 2-ply 1/16" 442-962 2-ply 1/8"	Blue/ White  422-512 2-ply 1/16" 442-512 2-ply 1/8"	Sapphire/ White  422-562 2-ply 1/16" 442-562 2-ply 1/8"	White/ Red  422-206 2-ply 1/16" 442-206 2-ply 1/8"	White/ Blue  422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/ Black  422-204 2-ply 1/16" 442-204 2-ply 1/8"	Black/ White  422-402 2-ply 1/16" 442-402 2-ply 1/8"	Vintage Gold/ Black  422-774 2-ply 1/16" 442-774 2-ply 1/8"	Vintage Silver/ Black  422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Laminated impact acrylic

Finish
Gloss

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.012" // 0.30mm

Usage
Exterior signage
Interior signage
Personal identification
Outdoor weatherable

Capabilities

Bevels Embosses Ink prints Saws Thermal prints	Bonds Heat bendable Laser vector cuts Screen prints UV stable	Drills Hot stamps Paint fill Shears
--	---	--

KEY:



Laserable



Rotary Engravable



Fiber Marking

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material

Laminated impact acrylic

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" //

613mm x 1238mm

Engraving Depth

.012" // 0.30mm

Usage

ADA compliant
Exterior signage
Interior signage
Personal identification
Tactile signage

Capabilities

Bevels
Drills
Laser vector cuts
Screen prints
Thermal prints
Bonds
Heat bendable
Outdoor weatherable
Shears
UV stable
Braille-engravable
Hot stamps
Saws
Silk screens
UV-printable

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Laminated impact acrylic

Finish

Gloss

Sheet Size

24-1/8" x 48-3/4" //

613mm x 1238mm

Engraving Depth

.012" // 0.30mm

Usage

Exterior signage
Interior signage
Personal identification
Outdoor weatherable

Capabilities

Back-lighting
Drills
Laser vector cuts
Shears
UV stable
Bevels
Heat bendable
Paint fill
Silk screens
UV-printable
Bonds
Hot stamps
Saws
Thermal prints

ULTRA-MATTES *Reverse Engravable*



Matte/Red	Matte/Dusty Rose	Matte/Ruby	Matte/Canyon	Matte/Orange	Matte/Yellow	Matte/Bright Green	Matte/Celadon Green	Matte/Hunter Green
312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
Matte/Black Forest Green	Matte/Sea Grey	Matte/Teal	Matte/Ocean Blue	Matte/Blue	Matte/Sapphire	Matte/Blueberry	Matte/China Blue	Matte/Beige
312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
Matte/Taupe	Matte/Cinder	Matte/Charcoal Grey	Matte/Dark Brown	Matte/Vintage Gold	Matte/Vintage Silver	Matte/Graphite	Matte/Black	Matte/White
312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
Matte/Ash	Matte/Sandalwood	Matte/Parchment	Matte/Ivory	Matte/Cement	Matte/Driftwood	Matte/Clear		
312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"		

TECHNICAL SPECIFICATIONS

Material

Laminated impact acrylic

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.012" // 0.30mm

Usage

ADA compliant
Exterior signage
Interior signage
Personal identification
Tactile signage

Capabilities

Back-lighting
Braille-engraversable
Heat bendable
Laser vector cuts
Saws
Bevels
Drills
Hot stamps
Outdoor weatherable
Screen prints
Bonds
Embosses
Ink prints
Paint fill
UV stable

SAFE-T-MARK™



Red/White	Vibrant Orange/Black	Yellow/Black	Bright Green/White	Blue/White	White/Black	Grey/White	Grey/Black	Black/White
FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

Material

Fire retardant functional polymer

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Control panels
Equipment id tags
Safety signage
Electrically non-conductive
Non-flammable

Electrical tags
Industrial tags
Fire retardant
Insulative

Capabilities

Bevels
Drills
Hot stamps
Saws
Screen prints
Bonds
Heat bendable
Permits fine detail engraving
Scores
Shears

HEAVY WEIGHTS™



Red/White/Red	Red/Black/Red	Blue/White/Blue	White/Blue/White	Black/White/Black	White/Black/White	Tan/Green/Tan	Green/Tan/Green	Brown/White/Brown
HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"

Green/White/Green	Yellow/Black/Yellow
HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"

TECHNICAL SPECIFICATIONS

Material

High-density polyethylene

Finish

Textured

Sheet Size

24" x 48" // 610mm x 1219mm

Engraving Depth

1/4"= .030" // 0.8mm
1/2"= .060" // 1.5mm

Usage

Architectural signage
Exterior signage
Interior signage
Recreational signage
Outdoor Weatherable

Capabilities

Drills
Hot stamps
Saws
UV Stable

SATINS



Red/ White 112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	Red/ Black 122-604 2-ply 1/16" 143-604 3-ply 1/8"	Red/ Yellow 122-607 2-ply 1/16" 143-607 3-ply 1/8"	Burgundy/ White 122-622 2-ply 1/16" 143-622 3-ply 1/8"	Orange/ White 122-612 2-ply 1/16" 143-612 3-ply 1/8"	Orange/ Black 122-614 2-ply 1/16" 143-614 3-ply 1/8"	Yellow/ Black 112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	Yellow/ Red 122-706 2-ply 1/16" 143-706 3-ply 1/8"	Yellow/ Blue 122-705 2-ply 1/16" 143-705 3-ply 1/8"
Bright Green/ White 112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	Green/ White 122-902 2-ply 1/16" 143-902 3-ply 1/8"	Pine Green/ White 122-912 2-ply 1/16" 143-912 3-ply 1/8"	Aqua/ White 122-942 2-ply 1/16" 143-942 3-ply 1/8"	Blue/ White 112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	Blue/ Yellow 122-517 2-ply 1/16" 143-517 3-ply 1/8"	Blue/ Silver 122-533 2-ply 1/16"	Navy Blue/ White 122-552 2-ply 1/16" 143-552 3-ply 1/8"	Air Force Blue/White 122-532 2-ply 1/16" 143-532 3-ply 1/8"
Metallic Blue/ White 122-542 2-ply 1/16" 143-542 3-ply 1/8"	Purple/ White 122-582 2-ply 1/16" 143-582 3-ply 1/8"	Almond/ Black 122-854 2-ply 1/16" 143-854 3-ply 1/8"	Ivory/ Dark Brown 122-228 2-ply 1/16" 143-228 3-ply 1/8"	Beige/ Dark Brown 122-838 2-ply 1/16" 143-838 3-ply 1/8"	Beige/ White 122-832 2-ply 1/16" 143-832 3-ply 1/8"	Med. Brown/ White 122-822 2-ply 1/16" 143-822 3-ply 1/8"	Dark Brown/ White 122-842 2-ply 1/16" 143-842 3-ply 1/8"	White/ Red 122-206 2-ply 1/16" 143-206 3-ply 1/8"
Polar White/ Red 122-246 2-ply 1/16"	White/ Orange 122-216 2-ply 1/16" 143-216 3-ply 1/8"	White/ Bright Green 122-209 2-ply 1/16" 143-209 3-ply 1/8"	Polar White/ Bright Green 122-239 2-ply 1/16"	White/ Pine Green 122-269 2-ply 1/16" 143-269 3-ply 1/8"	White/ Blue 122-205 2-ply 1/16" 143-205 3-ply 1/8"	Polar White/ Blue 122-235 2-ply 1/16"	White/ Dark Brown 122-208 2-ply 1/16" 143-208 3-ply 1/8"	White/ Black 112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
Polar White/ Black 122-234 2-ply 1/16" 123-234 2-ply 3/32" 143-234 3-ply 1/8"	Metallic Grey/ White 122-312 2-ply 1/16" 143-312 3-ply 1/8"	Battleship Grey/White 122-362 2-ply 1/16" 143-362 3-ply 1/8"	Grey/ White 122-302 2-ply 1/16" 143-302 3-ply 1/8"	Grey/ Black 122-304 2-ply 1/16" 143-304 3-ply 1/8"	Black/ White 112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	Black/ Bright White 122-412 2-ply 1/16" 143-412 3-ply 1/8"	Black/ Red 122-406 2-ply 1/16" 143-406 3-ply 1/8"	Black/ Yellow 122-407 2-ply 1/16" 143-407 3-ply 1/8"

Black/ Gold 122-417 2-ply 1/16" 143-417 3-ply 1/8"	Black/ Silver 122-423 2-ply 1/16" 143-423 3-ply 1/8"
---	---

TECHNICAL SPECIFICATIONS			
Material Acrylic cap, ABS core	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification	Capabilities Bevels Drills Hot stamps Scores Shears
Finish Brushed	Engraving Depth .012" // 0.30mm		Bonds Heat bendable Saws Screen prints Thermal prints

NOMARK® PLUS & STANDARD METALS



Deep Bronze/ Black Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Br. Gold/ Black Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	European Gold/Black ◆ Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Smooth Gold/ Black Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Br. Aluminum/ Black Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Br. Silver/ Black Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Smooth Silver/ Black Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"
--	---	--	--	---	---	--

TECHNICAL SPECIFICATIONS			
NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.			
Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Bevels Heat bendable Saws Silk screens
Finish Brushed metal	Engraving Depth .003" // 0.08mm		Bonds Hot stamps Scores Drills Permits fine detail engraving Shears

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

MESSAGE BOARD

NEW



Dry Erase Bright White	Dry Erase Black	Chalkboard Pine Green	Chalkboard Bright White	Chalkboard Black
DE421204 1-ply 1/16" DE441204 1-ply 1/8"	DE421401 1-ply 1/16" DE441401 1-ply 1/8"	CB321902 1-ply 1/16" CB341902 1-ply 1/8"	CB321204 1-ply 1/16" CB341204 1-ply 1/8"	CB321401 1-ply 1/16" CB341401 1-ply 1/8"

TECHNICAL SPECIFICATIONS				
Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Exterior signage Interior signage Novelty Signage component or substrate	Capabilities Bevels Heat bendable Outdoor weatherable Screen prints UV stable	Bonds Hot stamps Saws Shears UV-printable
Finish Chalkboard - Micro texture Dry Erase - High Gloss				Drills Laser vector cuts Scores Thermal prints

REFLEXIONS



Silver Mirror	Ice Silver Mirror	Platinum Mirror	Carbon Mirror	Bronze Mirror	Gold Mirror
RM942-340 2-ply 1/8"	RM942-341 2-ply 1/8"	RM942-351 2-ply 1/8"	RM942-300 2-ply 1/8"	RM942-870 2-ply 1/8"	RM942-730 2-ply 1/8"

TECHNICAL SPECIFICATIONS				
Material Cell cast acrylic (PMMA)	Sheet Size 24" x 48" +1875" -0" // 610mm x 1219mm	Usage Craft and artistry projects Exterior signage Interior signage Permits fine detail engraving Signage component or substrate UV stable	Capabilities Back-lighting Drills Saws Thermal prints	Bevels Hot stamps Scores
Finish Frosted matte non-glare (1 side) Mirrored (1 side)	Engraving Depth .012" // 0.30mm			Bonds Paint fill Screen prints

LUCENT

NEW



Translucent Smoke	Translucent Green	Translucent Blue	Translucent Pink	Translucent Orange	Translucent Yellow	Translucent Clear
LC342-025 1-ply .025"	LC999-025 1-ply .025"	LC599-025 1-ply .025"	LC679-025 1-ply .025"	LC669-025 1-ply .025"	LC729-025 1-ply .025"	LC101-025 1-ply .025"

TECHNICAL SPECIFICATIONS				
Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Engineering templates Interior signage Patterns Scrapbooking	Educational aids Exterior signage Painting stencils Rulers Templates or stencils	Capabilities Back- lighting Laser vector cuts Rotary vector cuts Scores UV-printable
Finish Matte non-glare				Drills Pad prints Saws Screen prints

PRINTMARK® Laserable & Rotary Products

NEW



White	Black	White/Black	Black/White	White/Red	White/Blue	Br. Aluminum/Black	Br. Silver/Black	Br. European Gold/Black
PM921-222 1-ply 1/16" PM231-010 1-ply 1/16"	PM921-444 1-ply 1/16" PM431-007 1-ply 1/16"	PM922-204 2-ply 1/16" PM922-234 2-ply 1/16"	PM922-402 2-ply 1/16"	PM922-206 2-ply 1/16"	PM922-205 2-ply 1/16"	PM922-354 2-ply 1/16"	PM922-334 2-ply 1/16"	PM922-754 2-ply 1/16"
Br. Gold/Black								
PM922-734 2-ply 1/16"								

Rotary Only Products




Polar White/Black	Polar White/Blue	Polar White/Red	Polar White/Green	Black/White	Blue/White	Red/White	Almond/Black	White
PM122-234 2-ply 1/16"	PM122-235 2-ply 1/16"	PM122-246 2-ply 1/16"	PM122-239 2-ply 1/16"	PM122-402 2-ply 1/16"	PM122-512 2-ply 1/16"	PM122-602 2-ply 1/16"	PM122-854 2-ply 1/16"	PM123-222 1-ply 1/16"

TECHNICAL SPECIFICATIONS				
Material Microsurfaced impact acrylic Laminated impact acrylic	Sheet Size 24.125" x 48.75" // 613mm x 1245mm	Usage Personal identification Signage or award component Craft and artistry projects Architectural signage	Capabilities Laser (vector cuts) Rotary Indoor Printable	Bevels Saw cutting Drills Shears
Finish Brushed • Matte • Gloss ■				

COLORHUES™ & COLORHUES^{EFX}

NEW



CH341-690 1-ply 1/8"




CH341-700 1-ply 1/8"




CH341-720 1-ply 1/8"



CH341-500 1-ply 1/8"




CH341-900 1-ply 1/8"




CH341-100 1-ply 1/8"
CH351-100 1-ply 1/4"




CH341-101 1-ply 1/8"
CH351-101 1-ply 1/4"




CH341-601 1-ply 1/8"




CH341-621 1-ply 1/8"




CH341-611 1-ply 1/8"




CH341-211 1-ply 1/8"
CH351-211 1-ply 1/4"



CH341-721 1-ply 1/8"




CH341-701 1-ply 1/8"




CH341-931 1-ply 1/8"



CH341-921 1-ply 1/8"




CH341-551 1-ply 1/8"




CH341-541 1-ply 1/8"




CH341-521 1-ply 1/8"




CH341-581 1-ply 1/8"



CH341-441 1-ply 1/8"




CH341-631 1-ply 1/8"




CH341-651 1-ply 1/8"



CH341-791 1-ply 1/8"




CH341-501 1-ply 1/8"
CH351-501 1-ply 1/4"



CH341-571 1-ply 1/8"



CH341-301 1-ply 1/8"




CH341-831 1-ply 1/8"




CH341-201 1-ply 1/8"
CH351-201 1-ply 1/4"



CH341-401 1-ply 1/8"
CH351-401 1-ply 1/4"




CH342-496 2-ply 1/8"




CH342-407 2-ply 1/8"




CH342-427 2-ply 1/8"




CH342-406 2-ply 1/8"



CH342-426 2-ply 1/8"



CH342-417 2-ply 1/8"



CH342-439 2-ply 1/8"



CH342-455 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Matte non-glare (1 side)

Gloss (1 side)

*Gloss both sides

● Edge Glow

Sheet Size

24-1/8" x 48-3/4" +0, -.125" //
613mm x 1238mm

Engraving Depth

ColorHues N/A (Single ply)
EFX .003" // .08mm

Gauge

1/8" +/- .016" // 0.4mm
1/4" +/- .032" // 0.8mm

Usage ColorHues

Craft and artistry projects
Interior/exterior signage
Signage component or substrate
Tactile signage

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues


Back-lighting	Bevels	Bonds
Braille-engravable	Drills	Heat bendable
Hot stamps	Laser vector cuts	Paint fill
Permits fine detail engraving		Saws
Scores	Screen prints	UV stable
UV-printable		

Capabilities EFX


Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engravable	

FIBERGRAVE™

NEW



FX301-201 1-ply .020"
FX391-201 1-ply .040"



FX301-401 1-ply .020"
FX391-401 1-ply .040"

TECHNICAL SPECIFICATIONS

Material

Single-ply modified Acrylic

Finish

Matte (1 side)

Sheet Size

24 1/8" x 48 3/4" //
613mm x 1238 mm

Engraving Depth

0.0mm (surface ablation)

Usage

Traceability
Tags
Name plates
Identifies
Utility markers
Livestock tagging
Signage
Control panels
Micromarking
QR/Data matrix readable
Barcode readable

Capabilities

Marking on the fly
Fiber laser contrasting mark
Multi-shade fiber laser marking
CO2 vector cut
Heat bendable/formable
Fine detail
Flexible
Saws
Shears
Drills
Bonds
Scores
UV-Stable



NATURAL WOOD MATERIALS

HARDWOOD COLLECTION™

NEW



RW1224-125CHE 1/8"
RW1824-125CHE 1/8"
RW1224-250CHE 1/4"
RW1824-250CHE 1/4"



RW1224-125MAP 1/8"
RW1824-125MAP 1/8"
RW1224-250MAP 1/4"
RW1824-250MAP 1/4"




RW1224-125OAK 1/8"
RW1824-125OAK 1/8"
RW1224-250OAK 1/4"
RW1824-250OAK 1/4"



RW1224-125WAL 1/8"
RW1824-125WAL 1/8"
RW1224-250WAL 1/4"
RW1824-250WAL 1/4"



RW1224-125MAH 1/8"
RW1824-125MAH 1/8"
RW1224-250MAH 1/4"
RW1824-250MAH 1/4"



RW1224-125CED 1/8"
RW1824-125CED 1/8"
RW1224-250CED 1/4"
RW1824-250CED 1/4"



RW1224-125SAS 1/8"
RW1824-125SAS 1/8"
RW1224-250SAS 1/4"
RW1824-250SAS 1/4"



RW1224-125BAM 1/8"
RW1824-125BAM 1/8"
RW1224-250BAM 1/4"
RW1824-250BAM 1/4"



RW1224-125ALD 1/8"
RW1824-125ALD 1/8"
RW1224-250ALD 1/4"
RW1824-250ALD 1/4"

TECHNICAL SPECIFICATIONS

Cedar contains naturally occurring exposed knots and grain patterns that will vary from sheet to sheet.

Material

Hardwood layered veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm

18" x 24" // 457mm x 610mm

Engraving Depth

N/A

Usage

Architectural models
Catalog/book covers
Craft and artistry projects
Key fobs
Picture frames
Promotional items

Business cards
Coasters
Interior signage
Ornaments
Plaques
Signage component

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints
UV-printable


Drills
Laser vector cuts
Saws
Shears

COLORSHOP WOODS™

NEW




CW1212-125BLJ 1/8"
CW1224-125BLJ 1/8"



CW1212-125PLM 1/8"
CW1224-125PLM 1/8"



CW1212-125BLS 1/8"
CW1224-125BLS 1/8"



CW1212-125CAR 1/8"
CW1224-125CAR 1/8"




CW1212-125CLM 1/8"
CW1224-125CLM 1/8"




CW1212-125SUN 1/8"
CW1224-125SUN 1/8"




CW1212-125SAG 1/8"
CW1224-125SAG 1/8"



CW1212-125MER 1/8"
CW1224-125MER 1/8"



CW1212-125NTS 1/8"
CW1224-125NTS 1/8"



CW1212-125RAV 1/8"
CW1224-125RAV 1/8"




CW1212-125WHE 1/8"
CW1224-125WHE 1/8"



CW1212-125DNG 1/8"
CW1224-125DNG 1/8"



CW1212-125MSG 1/8"
CW1224-125MSG 1/8"



CW1212-125GRG 1/8"
CW1224-125GRG 1/8"



CW1212-125RSG 1/8"
CW1224-125RSG 1/8"



CW1212-125CDG 1/8"
CW1224-125CDG 1/8"




CW1212-125MOG 1/8"
CW1224-125MOG 1/8"



CW1212-125DTG 1/8"
CW1224-125DTG 1/8"



CW1212-125WWG 1/8"
CW1224-125WWG 1/8"



CW1212-125PG 1/8"
CW1224-125PG 1/8"

TECHNICAL SPECIFICATIONS

This product is masked on both sides. As with any natural wood product, there may be slight color variations from sheet to sheet and lot to lot. Actual milled sheet size is 11-7/8" x 23-3/16" and 11-7/8" x 11-7/8" with a 1/16" tolerance.

Material

Hardwood layered veneers

Finish

Satin Wood Finish
Grain Wood Finish ▲

Sheet Size

12" x 12" +.0" -.125" // 305mm x 305mm
12" x 24" +.0" -.125" // 305mm x 610mm

Engraving Depth

.005" // 0.13mm

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints


Drills
Laser vector cuts
Saws
UV-printable



ColorShop Woods™
Assorted



ColorShop Woods™
Raven & Blue Jay



Hardwood Collection™
Assorted



ColorShop Woods™
Merlot



Hardwood Collection™
Red Alder

Natural Wood Materials from Rowmark

With nearly 30 real-wood finishes for both laser and rotary engraving, Rowmark offers you a complete line of unique wood products.

Available through Authorized Rowmark Distributors Worldwide

Rowmark
Simply Rowmarkable since 1987


877.rowmark /// rowmark.com




LASERMAX® NEW



 Crimson/White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	 Crimson/Black LM922-604 2-ply 1/16"	 Crimson/Yellow LM922-607 2-ply 1/16"	 Claret/White LM922-622 2-ply 1/16"	 Ribbon Pink/White LM922-662 2-ply 1/16"	 Ribbon Pink/Black LM922-664 2-ply 1/16"	 Tangerine/White LM922-612 2-ply 1/16"
 Vibrant Orange/Black LM922-624 2-ply 1/16"	 Canary/Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"	 Canary/Crimson LM922-706 2-ply 1/16"	 Kelley Green/White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	 Kelley Green/Black LM922-934 2-ply 1/16"	 Celadon Green/White LM922-972 2-ply 1/16"	 Evergreen/White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"
 Sky Blue/White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	 Sky Blue/Yellow LM922-517 2-ply 1/16"	 Sapphire/White LM922-502 2-ply 1/16"	 Light Blue/White LM922-562 2-ply 1/16"	 Patriot Blue/White LM922-552 2-ply 1/16"	 China Blue/White LM922-382 2-ply 1/16"	 Purple/White LM922-582 2-ply 1/16"
 White/Crimson LM922-206 2-ply 1/16"	 White/Burgundy LM922-226 2-ply 1/16"	 White/Sky Blue LM922-205 2-ply 1/16"	 White/Bright Green LM922-209 2-ply 1/16"	 White/Pine Green LM922-269 2-ply 1/16"	 White/Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	 Ivory/Dark Brown LM922-228 2-ply 1/16"
 Almond/Black LM922-854 2-ply 1/16"	 Light Grey/Burgundy LM922-326 2-ply 1/16"	 Light Grey/Marine Blue LM922-325 2-ply 1/16"	 Light Grey/Black LM922-324 2-ply 1/16"	 Smoke Grey/White LM922-312 2-ply 1/16"	 Med. Brown/White LM922-822 2-ply 1/16"	 Dark Brown/White LM922-842 2-ply 1/16"
 Black/White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	 Gloss Black/White LM922-422 2-ply 1/16"	 Black/Red LM922-406 2-ply 1/16"	 Black/Yellow LM922-407 2-ply 1/16"	 Black/Gold LM922-417 2-ply 1/16"	 Gloss Black/Gold LM922-427 2-ply 1/16"	 Black/Silver LM922-413 2-ply 1/16"
 Celestial Blue/Gold LM922-577 2-ply 1/16"	 Harbor Grey/White LM922-362 2-ply 1/16"	 Port Wine/Gold* LM922-677 2-ply 1/16"	 Verde/Gold* LM922-937 2-ply 1/16"	 Deep Bronze/Black* LM922-884 2-ply 1/16"	 Brushed Bronze/Black* LM922-874 2-ply 1/16"	 Brushed Bronze/White* LM922-872 2-ply 1/16"
 Rose Gold/Black* LM922-684 2-ply 1/16"	 Brushed Gold/Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	 European Gold/Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	 Smooth Gold/Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	 Br. Aluminum/Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	 Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"	 Smooth Silver/Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"
 Digicam Std. Issue/White LM922-982 2-ply 1/16"	 Digicam Green/White LM922-922 2-ply 1/16"	 Digicam Desert Storm/Black LM922-844 2-ply 1/16"	 Digicam Pink/Black LM922-694 2-ply 1/16"	 Digicam Air Force Blue/White LM922-532 2-ply 1/16"	 Digicam Navy/White LM922-592 2-ply 1/16"	 Digicam Special Ops/White LM922-372 2-ply 1/16"




LM922-188 2-ply 1/16"




LM922-138 2-ply 1/16"




LM922-134 2-ply 1/16"




LM922-022 2-ply 1/16"



LM922-222 2-ply 1/16"



LM922-082 2-ply 1/16"



LM922-012 2-ply 1/16"

TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey*
23-1/2" x 49" // 597mm x 1245mm
Kona/Ash & Kona/White*
23-5/8" x 49" // 600mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior/exterior signage
Personal identification
Trophies, awards & plaques

Capabilities


Bevels	Bonds	Drills
Heat bendable	Hot stamps	Laser vector cuts
Permits fine detail engraving	Scores	Saws
Silk screens	Screen prints	Shears
	UV stable	UV-printable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMAX® REVERSE LIGHT BLOCKERS NEW



LM922-341 2-ply 1/16"



LM922-401 2-ply 1/16"



LM922-841 2-ply 1/16"



LM922-201 2-ply 1/16"




LM922-301 2-ply 1/16"



LM922-511 2-ply 1/16"



LM922-601 2-ply 1/16"



LM922-701 2-ply 1/16"



LM922-351 2-ply 1/16"



LM922-361 2-ply 1/16"



LM922-881 2-ply 1/16"



LM922-861 2-ply 1/16"



LM922-761 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic for reverse engraving

Finish

Matte non-glare
Gloss available upon request

Sheet Size

24-1/8" x 48-3/4"
613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signs
Exterior signs
ADA compliant/tactile signs
Safety signs
Badges
Control panels

Capabilities

Laser vector cuts	Bonds	Paint/color-fill
Screen prints	Hot-Stamp	UV print receptive
Fine detail	UV Stable	
Back-lighting	Shears	
Saws	Drills	
Bevels	Heat bendable/formable	

METALGRAPH PLUS®




MP912-314 2-ply 1/32"
MP922-314 2-ply 1/16"
MP942-314 2-ply 1/8"



MP912-864 2-ply 1/32"
MP922-864 2-ply 1/16"
MP942-864 2-ply 1/8"



MP912-764 2-ply 1/32"
MP922-764 2-ply 1/16"
MP942-764 2-ply 1/8"



MP912-364 2-ply 1/32"
MP922-364 2-ply 1/16"
MP942-364 2-ply 1/8"



MP912-316 2-ply 1/32"
MP922-316 2-ply 1/16"
MP942-316 2-ply 1/8"



MP912-315 2-ply 1/32"
MP922-315 2-ply 1/16"
MP942-315 2-ply 1/8"



MP912-766 2-ply 1/32"
MP922-766 2-ply 1/16"
MP942-766 2-ply 1/8"




MP912-765 2-ply 1/32"
MP922-765 2-ply 1/16"
MP942-765 2-ply 1/8"



MP922-767 2-ply 1/16"
MP942-767 2-ply 1/8"



MP922-313 2-ply 1/16"
MP942-313 2-ply 1/8"




MP822-864 2-ply 1/16"




MP822-764 2-ply 1/16"



MP822-767 2-ply 1/16"



MP822-364 2-ply 1/16"



MP822-313 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Brushed metal
Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Industrial tags
Interior/exterior signage
Outdoor weatherable
Personal identification
Photo laser engraving
Trophies, awards & plaques












Capabilities

Bevels	Bonds
Drills	Heat bendable
Hot stamps	Laser vector cuts
Scores	Saws
Screen prints	Shears
Thermal prints	UV stable

THE NATURALS

NEW







 Mojave Black/White TN922-422 2-ply 1/16" TN942-422 2-ply 1/8"	 Mojave Black/Black TN922-424 2-ply 1/16" TN942-424 2-ply 1/8"	 Burnt Sienna/Ash TN922-822 2-ply 1/16" TN942-822 2-ply 1/8"	 Burnt Sienna/Beige TN922-828 2-ply 1/16" TN942-828 2-ply 1/8"	 Aspen Grey/Light Grey TN922-323 2-ply 1/16" TN942-323 2-ply 1/8"	 Aspen Grey/Black TN922-324 2-ply 1/16" TN942-324 2-ply 1/8"	 Black Galaxy/White TN922-412 2-ply 1/16" TN942-412 2-ply 1/8"
 Black Galaxy/Black TN922-414 2-ply 1/16" TN942-414 2-ply 1/8"	 Celestial Grey/White TN922-312 2-ply 1/16" TN942-312 2-ply 1/8"	 Celestial Grey/Grey TN922-313 2-ply 1/16" TN942-313 2-ply 1/8"	 Solarius Stone/Parchment TN922-818 2-ply 1/16" TN942-818 2-ply 1/8"	 Solarius Stone/Black TN922-814 2-ply 1/16" TN942-814 2-ply 1/8"	 Luna White/White TN922-212 2-ply 1/16" TN942-212 2-ply 1/8"	 Luna Pearl/Black TN922-214 2-ply 1/16" TN942-214 2-ply 1/8"
 Carbon Ash/White TN922-192 2-ply 1/16" TN942-192 2-ply 1/8"	 Carbon Ash/Black TN922-194 2-ply 1/16" TN942-194 2-ply 1/8"	 Barnwood Grey/White TN922-162 2-ply 1/16" TN942-162 2-ply 1/8"	 Barnwood Grey/Charcoal TN922-168 2-ply 1/16" TN942-168 2-ply 1/8"	 Natural Teak/Ash TN922-172 2-ply 1/16" TN942-172 2-ply 1/8"	 Natural Teak/Brown TN922-178 2-ply 1/16" TN942-178 2-ply 1/8"	 Brazilian Cherry/Ash TN922-022 2-ply 1/16" TN942-022 2-ply 1/8"
 Brazilian Cherry/Copper TN922-028 2-ply 1/16" TN942-028 2-ply 1/8"	 Beechwood/Ivory TN922-134 2-ply 1/16" TN942-134 2-ply 1/8"	 Beechwood/Brown TN922-138 2-ply 1/16" TN942-138 2-ply 1/8"				

TECHNICAL SPECIFICATIONS

Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Architectural signage Craft and artistry projects Exterior signage Personalization Signage or award components	Capabilities Bevels Heat bendable Saws Shears	Bonds Hot stamps Scores UV stable	Drills Laser vector cuts Screen prints Permits fine detail engraving
Finish Textured	Engraving Depth .003" // 0.08mm				

ULTRAGRAVE™ MATTE



 Red/White UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	 Red/Black UG922-604 2-ply 1/16"	 Red/Gold UG922-637 2-ply 1/16"	 Torrid/White UG922-862 2-ply 1/16"	 Exotica/White UG922-882 2-ply 1/16"	 Burgundy/White UG922-622 2-ply 1/16"	 Burgundy/Gold UG922-627 2-ply 1/16"
 Orange/White UG922-612 2-ply 1/16"	 Orange/Black UG922-614 2-ply 1/16"	 Yellow/Black UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	 Apple Green/White UG602-932 2-ply .020" UG922-932 2-ply 1/16"	 Pine Green/White UG922-912 2-ply 1/16"	 Forest Green/White UG922-992 2-ply 1/16"	 Forest Green/Eggshell UG922-993 2-ply 1/16"
 Forest Green/Gold UG922-997 2-ply 1/16"	 Turbulent/White UG922-942 2-ply 1/16"	 Blue/White UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	 Air Force Blue/White UG922-532 2-ply 1/16"	 Royal Blue/White UG922-592 2-ply 1/16"	 Royal Blue/Gold UG602-597 2-ply .020" UG922-597 2-ply 1/16"	 Navy Blue/White UG922-552 2-ply 1/16"
 Navy Blue/Gold UG922-557 2-ply 1/16"	 Taupe/White UG922-802 2-ply 1/16"	 Almond/Black UG922-854 2-ply 1/16"	 Craftsmen/White UG922-832 2-ply 1/16"	 White/Black UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	 White/Clear* UG602-201 2-ply .020" UG922-201 2-ply 1/16"	 White/Red UG922-206 2-ply 1/16"



ULTRAGRAVE™ SATIN



TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Satin grain
Gloss ■

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.005" // 0.13mm

Usage

Industrial, automotive and
electronic labeling
Interior/exterior signage
Personal identification
Safety signage
Trophies, awards & plaques


Capabilities

180° max temp
Braille-engravable
Flexible
Laser vector cuts
Scratch resistant
UV stable

Bevels
Break resistant
Heat bendable
Saws
Screen prints
Permits fine detail engraving

Bonds
Drills
Hot stamps
Scores
Shears

LASERMAG



TECHNICAL SPECIFICATIONS

Material

Microsurfaced flexible magnetic material

Finish

Brushed metal
Gloss ■

Sheet Size

12" x 24" (305 x 610mm)

Engraving Depth

0.004" // 0.10mm
Not recommended for rotary engraving

Usage

Promotional magnets
Repositionable nameplates

Capabilities

Ink prints
Outdoor weatherable
Shears
Permits fine detail engraving
Laser vector cuts
Scores
UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMARK®

NEW

Red/ White 922-602 2-ply .052"	Red/ Yellow 922-607 2-ply .052"	Yellow/ Black 922-704 2-ply .052"	Bright Green/ White 922-932 2-ply .052"	Pine Green/ White 922-912 2-ply .052"	Sapphire/ White 922-502 2-ply .052"	Blue/ White 922-512 2-ply .052"
Blue/ Yellow 922-517 2-ply .052"	Navy/ White 922-552 2-ply .052"	Ivory/ Brown 922-228 2-ply .052"	Med. Brown/ White 922-822 2-ply .052"	Dark Brown/ White 922-842 2-ply .052"	White/ Red 922-206 2-ply .052"	White/ Blue 922-205 2-ply .052"
White/ Black 922-204 2-ply .052"	Light Grey/ White 922-322 2-ply .052"	Grey/ White 922-312 2-ply .052"	Black/ White 922-402 2-ply .052"	Gloss Black/ White 922-422 2-ply .052"	Black/ Yellow 922-407 2-ply .052"	Black/ Gold 922-417 2-ply .052"
Gloss Black/ Gold 922-427 2-ply .052"	Port Wine/ Gold 922-677 2-ply .052"	Verde/ Gold 922-937 2-ply .052"	Celestial Blue/ Gold 922-577 2-ply .052"	Cherry/ White 922-152 2-ply .052"	Black Walnut/ White 922-002 2-ply .052"	Walnut/ White 922-172 2-ply .052"
English Walnut/White 922-192 2-ply .052"	Rose Gold/ Black 922-684 2-ply .052"	Smooth Gold/ Black* 922-714 2-ply .052"	Brushed Gold/Black* 922-734 2-ply .052"	European Gold/Black* 922-754 2-ply .052"	Br. Aluminum/ Black* 922-354 2-ply .052"	Brushed Silver/Black* 922-334 2-ply .052"

Smooth Silver/
Black*

922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Permits fine detail engraving
Personal identification
Trophies, awards & plaques

Capabilities

Bevels
Drills
Hot stamps
Saws
Screen prints
UV-printable

Bonds
Heat bendable
Laser vector cuts
Scores
Shears

Not recommended for harsh or high humidity indoor or outdoor applications.

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

FLEXIBRASS® & FLEXICOLOR®

NEW

Port Wine/ Brass 602-677 2-ply .020"	Port Wine/ White 602-672 2-ply .020"	Verde/ Brass 602-937 2-ply .020"	Celestial Blue/ Brass 602-577 2-ply .020"	Celestial Blue/ White 602-572 2-ply .020"	Harbor Grey/ Silver 602-363 2-ply .020"	Harbor Grey/ White 602-362 2-ply .020"
Brushed Gold/Blue 602-735 2-ply .020"	Brushed Bronze/Black 602-874 2-ply .020"	Deep Bronze/ Black 602-884 2-ply .020"	Rose Gold/ Black 602-684 2-ply .020"	Brushed Gold/Black 602-734 2-ply .020"	European Gold/Black 602-754 2-ply .020"	Trophy Gold/ Black 602-794 2-ply .020"
Smooth Gold/ Black 602-714 2-ply .020"	Yellow/ Black 602-744 2-ply .020"	Blue/ White 602-512 2-ply .020"	White/ Black 602-204 2-ply .020"	Black/ White 602-402 2-ply .020"	Matte Black/ Brass 602-417 2-ply .020"	Gloss Black/ Brass 602-427 2-ply .020"
Matte Black/ Silver 602-413 2-ply .020"	Red/ White 602-602 2-ply .020"	Gloss Black/ Silver 602-423 2-ply .020"	Br. Aluminum/ Black 602-354 2-ply .020"	Brushed Silver/Black 602-334 2-ply .020"	Smooth Silver/ Black 602-344 2-ply .020"	Trophy Silver/ Black 602-394 2-ply .020"

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey**
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Bevels
Hot stamps
Saws
Shears
Permits fine detail engraving

Drills
Laser vector cuts
Scores
UV-printable


Heat bendable
Screen prints

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


LASERLIGHTS




S68-1224 12"x 24" sheet



S61-1224 12"x 24" sheet




S62-1224 12"x 24" sheet
S62-1205 12"x50' rolls




S63-1224 12"x24" sheet
S63-1205 12"x50' rolls



S65-1224 12"x24" sheet
S65-1205 12"x50' rolls




S69-1224 12"x24" sheet




S73-1224 12"x24" sheet




S75-1224 12"x24" sheet
S75-1205 12"x50' rolls



S26-1224 12"x24" sheet



S74-1224 12"x24" sheet



S64-1224 12"x24" sheet
S64-1205 12"x50' rolls

TECHNICAL SPECIFICATIONS

Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive

Material

Microsurfaced pre-adhesive plastic

Finish

Brushed metal
Gloss ■

Sheet Size

12" x 24" (305 x 610mm) sheets
12" x 50' (305mm x 15.24m) roll

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Industrial, automotive and
electronic labeling
Interior/exterior signage
Personal identification

Capabilities

Bonds
Laser vector cuts
Shears
UV-printable

Drills
Outdoor weatherable
Thermal prints
Permits fine detail engraving

Embosses
Scores
UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

TEXTURES NEW



822-642 2-ply 1/16"
842-642 2-ply 1/8"



822-622 2-ply 1/16"



822-662 2-ply 1/16"



822-652 2-ply 1/16"




822-774 2-ply 1/16"



822-778 2-ply 1/16"



822-962 2-ply 1/16"



822-522 2-ply 1/16"




822-992 2-ply 1/16"



822-592 2-ply 1/16"
842-592 2-ply 1/8"




822-503 2-ply 1/16"




822-258 2-ply 1/16"



822-854 2-ply 1/16"




822-892 2-ply 1/16"



822-246 2-ply 1/16"



822-205 2-ply 1/16"



822-244 2-ply 1/16"
842-244 2-ply 1/8"



822-302 2-ply 1/16"



822-374 2-ply 1/16"



822-422 2-ply 1/16"
842-422 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Co-extruded impact acrylic

Finish

Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.007" // 0.18mm

Acid Yellow, Pimento, Red Clay & Aquamarine
.010" // 0.25mm

Usage

Industrial signage
Industrial tags
Interior/exterior signage
Personal identification
Safety signage

Capabilities

Bevels
Drills
Hot stamps
Outdoor weatherable
Saws
Shears

Bonds
Heat bendable
Laser vector cuts
Permits fine detail engraving
Screen prints
UV stable

ADA ALTERNATIVE® Substrate & Appliqué

NEW

Red 311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	Burgundy 311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	Canyon 311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	Orange 311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	Yellow 311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"	Bright Green 311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	Pine Green 311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"
Hunter Green 311-991 1-ply 1/32" 321-991 1-ply 1/16" 341-991 1-ply 1/8"	Black Forest Green 311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	Bahama Blue 311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	Blue 311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	Sapphire 311-506 1-ply 1/32" 321-506 1-ply 1/16" 341-506 1-ply 1/8"	Light Blue 311-571 1-ply 1/32" 321-571 1-ply 1/16" 341-571 1-ply 1/8"	Coastal Blue 311-521 1-ply 1/32" 321-521 1-ply 1/16" 341-521 1-ply 1/8"
China Blue 311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	Slate 311-321 1-ply 1/32" 321-321 1-ply 1/16" 341-321 1-ply 1/8"	Marine Blue 311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	Air Force Blue 311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	Ultra Violet 311-581 1-ply 1/32" 321-581 1-ply 1/16" 341-581 1-ply 1/8"	Antique Ivory 311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	Sand 311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"
Ash 311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"	Parchment 311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	Sandalwood 311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	White 311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	Bright White 311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	Light Grey 311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	Pearl Grey 311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"
Desert Sand 311-851 1-ply 1/32" 321-851 1-ply 1/16" 341-851 1-ply 1/8"	Driftwood 311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"	Grey Flannel 311-331 1-ply 1/32" 321-331 1-ply 1/16" 341-331 1-ply 1/8"	Grey 311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	Silver Grey 311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	Charcoal Grey 311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	Cinder 311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"
Beige 311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	Candlewick 311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	Putty 311-806 1-ply 1/32" 321-806 1-ply 1/16" 341-806 1-ply 1/8"	Taupe 311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"	Dark Brown 311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	Med. Brown 311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	Black 311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm
Copper 311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	Deep Bronze 311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	Gold 311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	Silver 311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"	Graphite 311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"	

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.

Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior/exterior signage Tactile signage Appliqué	Capabilities Bevels Drills Laser vector cuts Scores UV stable	Bonds Heat bendable Outdoor weatherable Screen prints UV-printable	Braille-engravable Hot stamps Saws Shears
Finish Matte non-glare	Cutting 1/32" Tactile Letters 1/4" round & .020" tip at 20°- 25° angle				

REVERSE LASERMARK®

Matte/ Red 922-601 2-ply 1/16"	Matte/ Burgundy 922-621 2-ply 1/16"	Matte/ Ribbon Pink 922-661 2-ply 1/16"	Matte/ Yellow 922-701 2-ply 1/16"	Matte/ Bright Green 922-931 2-ply 1/16"	Matte/ Blue 922-511 2-ply 1/16"	Matte/ Navy Blue 922-551 2-ply 1/16"
--	---	--	---	---	---	--

Matte/White 922-201 2-ply 1/16"	Matte/Ivory 922-221 2-ply 1/16"	Matte/Dark Brown 922-841 2-ply 1/16"	Matte/Black 922-401 2-ply 1/16"	Matte/Smooth Gold* 922-711 2-ply 1/16" 942-711 2-ply 1/8"	Gloss/Smooth Gold* 922-710 2-ply 1/16" 942-710 2-ply 1/8"	Matte/Smooth Silver* 922-341 2-ply 1/16" 942-341 2-ply 1/8"
Gloss/Smooth Silver* 922-340 2-ply 1/16" 942-340 2-ply 1/8"	Matte/Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"	Clear/Clear 411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"				

TECHNICAL SPECIFICATIONS			
*Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.			
Material Microsurfaced impact acrylic for reverse engraving Finish Matte non-glare Gloss ■	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Engraving Depth .003" // 0.08mm	Usage Interior signage Exterior signage Personal identification Tactile signage	Capabilities Scores Laser Vector Cuts Screen Prints Fine Detail Back-lighting Saws Bevels Hot Stamps UV Stable Shears Drills Heat Bendable Bonds Paintfill UV-Printable

COLORCAST ACRYLICS™

Red CC342-600M 2-ply 1/8" CC342-600G 2-ply 1/8" CC352-600M 2-ply 1/4" CC352-600G 2-ply 1/4"	Burgundy CC342-620M 2-ply 1/8" CC342-620G 2-ply 1/8" CC352-620M 2-ply 1/4" CC352-620G 2-ply 1/4"	Blue CC342-500M 2-ply 1/8" CC342-500G 2-ply 1/8" CC352-500M 2-ply 1/4" CC352-500G 2-ply 1/4"	Navy Blue CC342-550M 2-ply 1/8" CC342-550G 2-ply 1/8" CC352-550M 2-ply 1/4" CC352-550G 2-ply 1/4"	Almond CC342-850M 2-ply 1/8" CC342-850G 2-ply 1/8" CC352-850M 2-ply 1/4" CC352-850G 2-ply 1/4"	White CC342-200M 2-ply 1/8" CC342-200G 2-ply 1/8" CC352-200M 2-ply 1/4" CC352-200G 2-ply 1/4"	Grey CC342-300M 2-ply 1/8" CC342-300G 2-ply 1/8" CC352-300M 2-ply 1/4" CC352-300G 2-ply 1/4"
Black CC342-400M 2-ply 1/8" CC342-400G 2-ply 1/8" CC352-400M 2-ply 1/4" CC352-400G 2-ply 1/4"	Gold CC342-710M 2-ply 1/8" CC342-710G 2-ply 1/8" CC352-710M 2-ply 1/4" CC352-710G 2-ply 1/4"	Silver CC342-330M 2-ply 1/8" CC342-330G 2-ply 1/8" CC352-330M 2-ply 1/4" CC352-330G 2-ply 1/4"	Clear CC342-100M 1-ply 1/8" CC342-100G 1-ply 1/8" CC352-100M 1-ply 1/4" CC352-100G 1-ply 1/4"			

TECHNICAL SPECIFICATIONS			
Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.			
Material Microsurfaced cell cast acrylic Finish Matte non-glare (M) Gloss (G)	Sheet Size 24" x 48" +0, -.125" // 610mm x 1219mm Engraving Depth .003" // 0.08mm	Usage Interior/exterior signage Personal identification Tactile signage (<i>matte only</i>) Trophies, awards & plaques	Capabilities Back-lighting Hot stamps Permits fine detail engraving Screen prints Bonds Laser vector cuts UV stable Braille-engrivable Paint fill Saws UV-printable

LASERGLOW® NEW

UltraGlow ULG321-911 2-ply 1/16" ULG341-911 2-ply 1/8"	Glow with Adhesive LG302-911 1-ply .020"	Glow ADA Compliant LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	Glow Reverse Engravable LG322-911 2-ply .050"
---	--	---	---

LASERGLOW® Rotary Engravable

Glow/Safety Red* LG322-916 2-ply .050"	Glow/Safety Green* LG322-919 2-ply .050"	Glow/Safety Blue* LG322-915 2-ply .050"	Glow/Safety Black* LG322-914 2-ply .050"
--	--	---	--

TECHNICAL SPECIFICATIONS			
Material Modified impact acrylic Finish Matte non-glare	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Engraving Depth .022" // 0.56mm (<i>Reverse only</i>) *.025" // 0.64mm (<i>Front only</i>)	Usage Egress and exit signage Industrial tags Interior/exterior signage Safety signage Tactile signage MEA certified MEA#203-08-M	Capabilities Back-lighting Drills Hot stamps Outdoor weatherable Screen prints UV-printable Bevels Embosses Ink prints Paint fill Shears Braille-engrivable Heat bendable Laser vector cuts Saws UV stable



HOME OFFICE

PO Box 1605
5409 Hamlet Drive
Findlay, Ohio 45840-1605 USA
inquiries@rowmark.com

EUROPE OFFICE/WAREHOUSE

Schaarbeekstraat 44
9120 Beveren-Waas
Belgium
+32 (0)3 870 41 10
emea@rowmark.com

TECHNICAL SUPPORT

877.769.6275 /// 419.425.8974
techhelp@rowmark.com

CUSTOM REQUESTS

800.243.3339 /// 419.425.2407
customerservice@rowmark.com

LATIN AMERICA & TECHNICAL SUPPORT

+55 11 97530-6575 /// latinamerica@rowmark.com

AUSTRALIA & TECHNICAL SUPPORT

Unit 10/167 Prospect Hwy,
Seven Hills NSW 2147
1300 023 370
sales@rowmark.com.au

877.rowmark / rowmark.com



Engage. Interact. Share.



CURBELL
PLASTICS

1-888-CURBELL

www.curbellplastics.com

Curbell Plastics is a proud supplier of Rowmark® Solutions

TERMS & CONDITIONS OF SALE

Rowmark's warranty is limited to replacement of product only, and such warranty does not extend to the costs of any repeat labor or incidental costs. LIMITED WARRANTY, WARRANTY DISCLAIMERS AND LIMITATIONS OF REMEDIES AND LIABILITIES: Except as set forth above, Seller makes NO OTHER WARRANTIES concerning the products whatsoever. SELLER DISCLAIMS AND EXCLUDES ALL OTHER EXPRESS WARRANTIES AND ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE concerning the products. In no event will Sellers' liability exceed the paid purchase price of the products. Seller's obligations described in this paragraph shall be Buyer's sole and exclusive remedy against Seller and Seller's Distributors for any liability with respect to the products whether any claim for recovery is based upon or arises out of theories of contract, negligence, tort (including strict liability) or otherwise. Buyer agrees that NO OTHER REMEDY SHALL BE AVAILABLE to Buyer and that IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, including without limitation loss of income, loss of time, loss of sales, cost of replacement items, or claims asserted by Buyer's customers. A suit based on any cause of action must be commenced within one year from the date of delivery of product.

